


AD-A061 361 BOEING VERTOL CO PHILADELPHIA PA  
INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFI--ETC(U)  
SEP 78 P F SHERIDAN F/G 1/3  
DAAJ02-77-C-0020

UNCLASSIFIED

USARTL-TR-78-23B-VOL-2G NL

1 of 3  
AD  
A061 361



18 19  
USARTL TR-78-23B-VOL 2G

LEVEL III

A 661 360

2

6 INTERACTIONAL AERODYNAMICS OF THE SINGLE  
ROTOR HELICOPTER CONFIGURATION.

1 VOLUME II-G, Harmonic Analyses of Airframe Surface  
Pressure Data, Runs 23-33, Forward Section

10

Philip F. Sheridan

Boeing Vertol Company  
P.O. Box 16858  
Philadelphia, Pa. 19142

13 61  
D A O 61

11

Sep [REDACTED] 78

12 211 P.

9

Final Report, [REDACTED] Mar [REDACTED] 77 — Feb [REDACTED] 78

15 DAAJQ2-77-C-QQ2P


Approved for public release;  
distribution unlimited.

FILE NUMBER  
WUG

Prepared for

APPLIED TECHNOLOGY LABORATORY  
U. S. ARMY RESEARCH AND TECHNOLOGY LABORATORIES (AVRADCOM)  
Fort Eustis, Va. 23604

16 LL2622Q9AH76 17 QQ



78 11 13 060

403 682 mt

## APPLIED TECHNOLOGY LABORATORY POSITION STATEMENT

In 1975 a wind tunnel test program was conducted in the Boeing-Vertol 20-foot V/STOL Wind Tunnel on a 1/5th-scale UTTAS model to investigate and find solutions for several aerodynamic problems encountered during the UTTAS flight-testing. Specifically, these tests focused upon (a) the structure of the hub/rotor wake in the vicinity of the empennage, (b) the formulation of the ground vortex and its relation to hub loads and fuselage loads during transition, and (c) the occurrence of vibratory air pressures from the blade passing over the fuselage. Only portions of the above-mentioned wind tunnel test data were reduced and analyzed in addressing the flight-test problems of the UTTAS aircraft.

Under Contract DAAJ02-77-C-0020, Boeing-Vertol completed analyses on the data to understand more completely the aerodynamic interactions that are involved and to formulate instructions for the guidance of designers in these respects. The results of these studies are applicable to all existing and future single-rotor/tail rotor helicopters. The data have been segregated according to aerodynamic interactions and associated phenomena/problem areas. From this body of knowledge, a generalized set of design guidelines meaningful to the single-rotor helicopter design concept formulation were developed and are included in these reports.

Mr. Robert P. Smith of the Aeronautical Technology Division, Aeromechanics Technical Area, served as project engineer for this effort.

### DISCLAIMERS

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission, to manufacture, use, or sell any patented invention that may in any way be related thereto.

Trade names cited in this report do not constitute an official endorsement or approval of the use of such commercial hardware or software.

### DISPOSITION INSTRUCTIONS

Destroy this report when no longer needed. Do not return it to the originator.

None	Some	Full
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
None	Some	Full
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DISTRIBUTION/AVAILABILITY CODES		
DISP.	AVAIL.	X SPENIAL
A		

UNCLASSIFIED

**SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)**

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER <b>USRATL TR-78-23 B</b>	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) <b>INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFIGURATION, Volume II, Harmonic Analyses of Airframe Surface Pressure Data, Sub-Volume G, Runs 23-33, Forward Section</b>		5. TYPE OF REPORT & PERIOD COVERED <b>FINAL REPORT</b> <b>15 Mar 1977 - 13 Feb 1978</b>
7. AUTHOR(s) <b>Philip F. Sheridan</b>		6. PERFORMING ORG. REPORT NUMBER <b>DAAJ02-77-C-0020</b>
9. PERFORMING ORGANIZATION NAME AND ADDRESS <b>Boeing Vertol Company</b> <b>P.O. Box 16858</b> <b>Philadelphia, Pa. 19142</b>		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS <b>62209A TL262209AH76</b> <b>00 189 EK</b>
11. CONTROLLING OFFICE NAME AND ADDRESS <b>Applied Technology Laboratory, US Army</b> <b>Research &amp; Technology Laboratories (AVRADCOM)</b> <b>Fort Eustis, Virginia 23604</b>		12. REPORT DATE <b>September 1978</b>
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES <b>211</b>
		15. SECURITY CLASS. (of this report) <b>Unclassified</b>
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  <b>Approved for public release; distribution unlimited.</b>		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES  <b>Volume II of an eight volume report.</b> <b>Volume II is comprised of nine sub-volumes (A through I).</b>		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) <b>Rotor</b> <b>Aerodynamic Interaction</b> <b>Forward Crown</b> <b>Downwash</b> <b>Flow Environment</b> <b></b> <b>Flow</b> <b>Vibratory Pressures</b> <b></b> <b>Interaction</b> <b>Fuselage</b> <b></b>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  <b>This is the seventh of the nine sub-volumes of Volume II. These documents contain harmonic analyses of the waveforms generated by each of the 53 pressure transducers, which covered the surface of the model fuselage and empennage. This sub-volume covers the final eleven of the twenty-seven runs devoted to surface pressure testing. The analyses encompass the transducers in the forward section of the model. Test conditions here involve speeds from 20 knots to 160 knots in level flight.</b>		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

## PREFACE

The entire report describing the investigation of INTERACTIONAL AERODYNAMICS OF THE SINGLE-ROTOR HELICOPTER CONFIGURATION comprises eight numbered volumes bound as 33 separate documents. The complete list of these documents is as follows:

### Volume I, Final Report

### Volume II, Harmonic Analyses of Airframe Surface Pressure Data

- A - Runs 7-14, Forward Section
- B - Runs 7-14, Mid Section
- C - Runs 7-14, Aft Section
- D - Runs 15-22, Forward Section
- E - Runs 15-22, Mid Section
- F - Runs 15-22, Aft Section
- G - Runs 23-33, Forward Section
- H - Runs 23-33, Mid Section
- I - Runs 23-33, Aft Section

This volume is →

### Volume III, Flow Angle and Velocity Wake Profiles in Low-Frequency Band

- A - Basic Investigations and Hubcap Variations
- B - Air Ejector Systems and Other Devices

### Volume IV, One-Third Octave Band Spectrograms of Wake Split-Film Data

- A - Buildup to Baseline
- B - Basic Configuration Wake Explorations
- C - Solid Hubcaps
- D - Open Hubcaps
- E - Air Ejectors
- F - Air Ejectors With Hubcaps; Wings
- G - Fairings and Surface Devices

### Volume V, Harmonic Analyses of Hub Wake

### Volume VI, One-Third Octave Band Spectrograms of Wake Single Film Data

- A - Buildup to Baseline
- B - Basic Configuration Wake Exploration
- C - Hubcaps and Air Ejectors

### Volume VII, Frequency Analyses of Wake Split-Film Data

- A - Buildup to Baseline
- B - Basic Configuration Wake Explorations
- C - Solid Hubcaps

- D** - Open Hubcaps
- E** - Air Ejectors
- F** - Air Ejectors With Hubcaps; Wings
- G** - Fairings and Surface Devices

**Volume VIII, Frequency Analyses of Wake Single Film Data**

- A** - Buildup to Baseline
- B** - Basic Configuration Wake Exploration
- C** - Hubcaps and Air Ejectors

TABLE OF CONTENTS

INTRODUCTION . . . . .	6
LIST OF TEST RUNS (TABLE 1) . . . . .	8
UTTAS 1/4.85 - SCALE MODEL GEOMETRY AND SURFACE PRESSURE TRANSDUCER LOCATIONS (FIGURE 1) . . . . .	11
PRESSURE TRANSDUCER LOCATIONS (TABLE 2) . . . .	12
SURFACE PRESSURE HARMONIC ANALYSES . . . . .	14

## INTRODUCTION

Volume II summarizes the harmonic analyses of the airframe surface pressures measured at 53 locations on the fuselage, nacelles, and empennage of the model. These values are presented in nine volumes resulting from the following division of runs and pressures.

<u>Volume</u>	<u>Runs</u>	<u>Pressure Section</u>
II-A	7-14	Forward
II-B	"	Mid
II-C	"	Aft
II-D	15-22	Forward
II-E	"	Mid
II-F	"	Aft
II-G	23-53	Forward
II-H	"	Mid
II-I	"	Aft

A computer printout sheet is provided for each pressure transducer for every run. The steady and ten harmonic components are given in pounds per square inch. The resultant and its phase angle are shown as well as the sine and cosine. A machine plotted time history with points every three degrees is offered for reference.

The parameters of any run may be found in the list of Test Runs, (Table 1), a copy of which appears in each volume.

The designation (PS number) of the pressure sensors within each section are shown below.

<u>Forward Section</u>	<u>Mid Section</u>	<u>Aft Section</u>
004.1	045.1	081.1
013.1	045.2	081.2
013.2	047.1	081.3
013.3	047.2	099.1
015.1	048.1	099.2
017.1	048.2	099.3
017.2	048.3	107.1
017.3	052.1	107.2
017.4	052.2	107.3
017.5	056.1	107.4
017.6	056.2	107.5
017.7	056.3	107.6
023.1	057.1	112.1
023.2	057.2	112.2
023.3	071.1	117.1
023.4	072.1	117.2
023.5	072.2	
026.1		

The location of each transducer is shown in the scaled model drawing (Figure 1) and the listing of the transducer locations (Table 2).

The great majority of the pressure data points permitted usable harmonic analysis. Occasionally the computer program would skip a case with too many points beyond the valid voltage bandwidth of the measurement system. This is noted by the words "BANDEDGE". There are also a few cases where a very flat variation indicates an inoperative transducer.

TABLE 1  
LIST OF TEST RUNS  
MEASUREMENT OF VIBRATORY SURFACE PRESSURES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. PSF	MODEL ANGLES	MR HT.	TAIL ROTOR
					$\alpha^\circ$	$\psi^\circ$	h/d
7	K <sub>1</sub> /(a) Level flight baseline	60	1433/ 4500	8	2.2	-6.5	"
"	"/(b) Max. gross weight level flt. baseline	"	"	10	3.3	"	"
8	"/(a) Repeat 7(a)	"	"	8	2.2	"	"
"	"/(b) Increase speed to maximum	160	"	"	-3.5	-2.0	"
9	K <sub>2</sub> /Repeat high speed baseline with TR off	"	1433/0	"	"	"	"
10	" /Max. climb at low speed	60	"	"	-26.5	-15	"
11	"/(a) Repeat 10; T.P. 2,3,4,5	"	"	"	-26.5	-15	"
"	"/(b) Repeat 7(a) with TR off, T.P. 6,7,8,9	"	"	"	2.2	-6.5	"
12	"/(a) Repeat 7(b) with TR off	"	"	10	3.3	-6.5	"
"	"/(b) Max. G.W. at max. speed with TR off	160	"	"	-2.0	-2.0	"
13	K <sub>2</sub> +S <sub>1</sub> /Check longitudinal stakes	"	"	8	-3.5	-2.0	"
14	K <sub>2</sub> +S <sub>2</sub> /Check lateral stakes	"	"	"	"	"	"


**TABLE 1. CONTINUED**  
**LIST OF TEST RUNS**  
**MEASUREMENT OF VIBRATORY SURFACE PRESSURES**

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. psf	MODEL ANGLES		MR HT.	TAIL ROTOR
					$\alpha^{\circ}$	$\psi^{\circ}$		
15	K <sub>3</sub> /Effect of 45° tapered blade root cutout	160	1433/0	8	-3.5	-2.0	"	OFF
16	K <sub>2</sub> +VG <sub>1</sub> /Effect of vortex generators on forward crown	"	"	"	"	"	"	"
17	K <sub>2</sub> /Autorotation	60	"	"	21	0	"	"
18	K <sub>2</sub> +S <sub>3</sub> /Effect of lower longitudinal strakes	160	"	"	-3.5	-2.0	"	"
19	K <sub>4</sub> /Rotor raised 2.5 inches	"	"	"	"	"	"	"
20	K <sub>4</sub> +S <sub>3</sub> /Lower strakes added to raised rotor	"	"	"	"	"	"	"
21	K <sub>5</sub> /Rotor raised 5.0 inches	"	"	"	"	"	"	"
22	K <sub>5</sub> +S <sub>3</sub> /Lower strakes with rotor in highest position	"	"	"	"	"	"	"
23	K <sub>2</sub> /Autorotation at maximum speed	"	"	"	"	"	"	"

TABLE 1. CONTINUED  
**LIST OF TEST RUNS**  
**MEASUREMENT OF VIBRATORY SURFACE PRESSURES**

TABLE 1. CONTINUED  
LIST OF TEST RUNS  
MEASUREMENT OF VIBRATORY SURFACE PRESSURES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. PSF	MODEL ANGLES		MR HT.	TAIL ROTOR
					$\alpha^{\circ}$	$\psi^{\circ}$		
24	R <sub>2</sub> /Level flight speed sweep	20	1433/0	8	5.3	0	$\infty$	OFF
25	" " "	30	"	"	5.0	"	"	"
26	" " "	40	"	"	4.4	"	"	"
27	" " "	50	"	"	3.5	"	"	"
28	" " "	60	"	"	2.2	-6.5	"	"
29	" " "	80	"	"	0.2	-3.2	"	"
30	" " "	100	"	"	-0.6	-2.3	"	"
31	" " "	120	"	"	-1.6	-2.2	"	"
32	" " "	140	"	"	-2.7	-2.1	"	"
33	" " "	160	"	"	-3.5	-1.9	"	"



**FIGURE 1** -1/4.85 SCALE MODEL GEOMETRY AND SURFACE PRESSURE TRANSDUCER LOCATIONS

TABLE 2  
PRESSURE TRANSDUCER LOCATIONS

TRANSDUCER DESIGNATION	MODEL STATION	WATER LINE	BUTT LINE	LOCATION DESCRIPTION
PS004-1	4.0	-	-1.2	Lower Surface
-2	4.0	-	-1.2	Upper Surface
PS013-1	13.4	-	-5.3	Forward Crown
-2	13.4	-	-1.2	Forward Crown
-3	13.4	-	5.2	Forward Crown
PS015-1	13.4	-	-1.2	Lower Surface
PS017-1	16.6	24.2	-	Left Side
-2	16.6	33.4	-	Left Side
-3	16.6	-	-5.3	Forward Crown
-4	16.6	-	-1.2	Forward Crown
-5	16.6	-	5.2	Forward Crown
-6	16.6	33.4	-	Right Side
-7	16.6	24.2	-	Right Side
PS023-1	23.0	25.9	-	Left Side
-2	23.0	-	-5.3	Forward Crown
-3	23.0	-	-1.2	Forward Crown
-4	23.0	-	5.2	Forward Crown
-5	23.0	25.9	-	Right Side
PS026-1	26.0	-	-1.2	Under Surface
PS045-1	45.4	-	-8.7	Top of Nacelle
-2	45.4	-	8.7	Top of Nacelle
PS047-1	47.4	26.6	-	Left Side
-2	47.4	26.6	-	Right Side
PS048-1	48.6	-	-3.9	Aft Crown
-2	48.6	-	1.2	Aft Crown
-3	48.6	-	4.4	Aft Crown
PS052-1	52.6	-	-8.7	Top of Nacelle
-2	52.6	-	8.7	Top Nacelle

TABLE 2 (CONTINUED)  
PRESSURE TRANSDUCER LOCATIONS

TRANSDUCER DESIGNATION	MODEL STATION	WATER LINE	BUTT LINE	LOCATION DESCRIPTION
PS056-1	56.2	-	-3.9	Aft Crown
	-2	56.2	1.2	Aft Crown
	-3	56.2	4.4	Aft Crown
PS057-1	57.4	27.0	-	Left Side
	-2	57.4	-	Right Side
PS071-1	71.4	-	1.2	Top Surface
PS072-1	71.6	28.9	-	Left Side
	-2	71.6	-	Right Side
PS081-1	81.5	28.9	-	Left Side
	-2	81.5	1.2	Top Surface
	-3	81.5	-	Right Side
PS089-1	89.4	-	1.2	Top Surface
PS099-1	99.0	28.9	-	Left Side
	-2	99.0	1.2	Top Surface
	-3	99.0	-	Right Side
PS107-1	109.5	-	-8.6	Lower Surf. - Stab.
	-2	109.5	-8.6	Upper Surf. - Stab.
	-3	109.5	-	Left Side - Fin
	-4	109.5	-	Right Side - Fin
	-5	109.5	8.6	Upper Surf. - Stab.
	-6	109.5	8.6	Lower Surf. - Stab.
PS112-1	110.3	-	-15.9	Upper Surf. - Stab.
	-2	110.3	15.9	Upper Surf. - Stab.
PS117-1	117.0	47.7	-	Left Side - Fin
	-2	117.0	-	Right Side - Fin


UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 23
ENTERED 38	TP 8
OUT OF RANGE 0	CHAN 51
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.12391E 00	1	0.27283E-02	-0.10066E-02	0.29081E-02	110.2
	2	-0.64802E-03	-0.64773E-03	0.91624E-03	225.0
	3	-0.97279E-03	-0.21490E-02	0.23589E-02	204.3
	4	0.36014E-02	-0.26956E-02	0.44985E-02	126.8
	5	-0.29128E-03	0.85066E-03	0.89915E-03	341.0
	6	-0.88295E-03	-0.99549E-03	0.13306E-02	221.5
	7	-0.20202E-03	-0.14340E-03	0.24774E-03	234.6
	8	0.27732E-02	-0.36427E-03	0.27970E-02	97.4
	9	-0.61808E-03	-0.61307E-03	0.87056E-03	225.2
	10	-0.10831E-02	-0.13546E-02	0.17345E-02	218.6

MAX= 0.13318E 00 MIN= 0.11489E 00 PEAK TO PEAK/2= 0.91446E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 23
ENTERED 38	TP 8
OUT OF RANGE 0	CHAN 57
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.18345E 00	1	-0.24740E-02	-0.16528E-02	0.29754E-02	236.2
	2	0.18792E-02	-0.13108E-03	0.18838E-02	93.9
	3	0.10712E-02	0.21362E-03	0.10923E-02	78.7
	4	0.49459E-01	0.56462E-01	0.75061E-01	41.2
	5	-0.28667E-02	0.41836E-03	0.28971E-02	278.3
	6	-0.10284E-02	0.95524E-03	0.14036E-02	312.8
	7	-0.11617E-02	-0.81908E-03	0.14215E-02	234.8
	8	0.10566E-01	0.36158E-01	0.37671E-01	16.2
	9	-0.36230E-03	-0.19880E-02	0.20208E-02	190.3
	10	-0.47771E-03	-0.34433E-02	0.34763E-02	187.8

MAX=-0.39357E-01 MIN=-0.24426E 00 PEAK TO PEAK/2= 0.10245E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	23
ENTERED	38	TP	8
OUT OF RANGE	0	CHAN	60
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.22407E 00	1	-0.26527E-02	0.36564E-02	0.49173E-02	324.0
	2	-0.17905E-02	-0.83672E-03	0.19764E-02	244.9
	3	0.51941E-02	-0.34362E-02	0.62389E-02	123.6
	4	-0.10676E-00	0.35623E-02	0.15255E-00	91.5
	5	-0.78556E-03	0.13914E-02	0.15978E-02	330.5
	6	0.96467E-03	-0.17848E-03	0.98104E-03	100.4
	7	0.34216E-02	-0.18927E-02	0.362236E-02	109.2
	8	0.59212E-01	0.25703E-01	0.64550E-01	66.5
	9	-0.15725E-02	-0.20271E-02	0.25655E-02	217.8
	10	-0.32490E-02	-0.33323E-02	0.46542E-02	224.2

MAX= 0.19317E-02 MIN=-0.31117E 00 PEAK TO PEAK/2= 0.15655E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 37  
OUT OF RANGE 0  
BANDEdge 0

RUN 23  
TP 8  
CHAN 45

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.14803E 00	1	-0.66116E-02	0.37187E-02	0.75856E-02	299.3
	2	-0.57477E-02	0.67255E-03	0.57870E-02	276.6
	3	-0.14103E-01	-0.28768E-02	0.14393E-01	258.4
	4	0.11548E 00	-0.76784E-02	0.11574E 00	93.8
	5	0.78408E-02	0.66075E-03	0.78686E-02	85.1
	6	0.18489E-02	0.90760E-03	0.20597E-02	63.8
	7	-0.63611E-02	0.18594E-02	0.66273E-02	286.2
	8	0.48382E-01	-0.67864E-02	0.48856E-01	97.9
	9	0.10153E-01	-0.21887E-02	0.10387E-01	102.1
	10	0.49466E-02	0.33377E-02	0.59674E-02	55.9

MAX= 0.57415E-01 MIN=-0.22985E 00 PEAK TO PEAK/2= 0.14363E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	23
ENTERED	TP	8
OUT OF RANGE	CHAN	52
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.32708E-01	1	0.40677E-03	-0.19962E-02	0.20373E-02	168.4
	2	-0.12443E-03	0.25232E-02	0.25263E-02	357.1
	3	-0.95335E-03	-0.59413E-04	0.95520E-03	266.4
	4	-0.21477E-02	0.77699E-03	0.22840E-02	289.8
	5	-0.13613E-03	0.95515E-03	0.96480E-03	351.8
	6	-0.15633E-02	-0.70439E-03	0.17147E-02	245.7
	7	0.10481E-02	-0.17448E-03	0.10625E-02	99.4
	8	0.62335E-03	-0.10624E-02	0.12318E-02	149.6
	9	0.12546E-02	-0.10732E-02	0.16511E-02	130.5
	10	-0.12592E-02	0.44448E-04	0.12600E-02	272.0

MAX=-0.23716E-01 MIN=-0.42233E-01 PEAK TO PEAK/2= 0.92586E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	23
OUT OF RANGE	0	TP	8
BANDEDGE	0	CHAN	54

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.32176E-01	1	-0.20932E-02	-0.77047E-03	0.22305E-02	249.7
	2	-0.49618E-03	0.72234E-03	0.87634E-03	325.5
	3	-0.44962E-03	0.76192E-03	0.88469E-03	329.4
	4	-0.15207E-01	0.60936E-02	0.16382E-01	291.8
	5	-0.13095E-03	-0.66270E-03	0.67552E-03	191.1
	6	0.11885E-03	0.25435E-03	0.28075E-03	25.0
	7	-0.70033E-03	-0.13698E-03	0.71360E-03	258.9
	8	0.18342E-02	-0.17877E-02	0.25613E-02	134.2
	9	0.90267E-03	-0.38709E-03	0.98217E-03	113.2
	10	0.56734E-04	0.21509E-03	0.22244E-03	14.7

MAX=-0.11602E-01 MIN=-0.49245E-01 PEAK TO PEAK/2= 0.18821E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	23
OUT OF RANGE	0	TP	8
BANDEdge	0	CHAN	56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.99518E-02	1	-0.21965E-02	0.26802E-02	0.34652E-02	320.6
	2	-0.42413E-03	-0.53486E-04	0.42749E-03	262.8
	3	0.19301E-02	0.10419E-02	0.21934E-02	61.6
	4	-0.13262E-01	0.61589E-01	0.63001E-01	347.8
	5	-0.18800E-02	-0.45134E-03	0.19334E-02	256.5
	6	-0.44199E-03	0.78675E-04	0.44894E-03	280.0
	7	-0.76681E-03	0.54442E-03	0.94042E-03	305.3
	8	-0.21354E-01	-0.28131E-02	0.21539E-01	262.4
	9	0.29657E-03	-0.84153E-03	0.89226E-03	160.5
	10	-0.19253E-03	0.27466E-03	0.33543E-03	324.9

MAX= 0.81928E-01 MIN=-0.64398E-01 PEAK TO PEAK/2= 0.73163E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 23
ENTERED 38	TP 8
OUT OF RANGE 0	CHAN 58
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.75950E-01	1	-0.14724E-02	0.17833E-02	0.23126E-02	320.4
	2	-0.36757E-02	-0.21167E-02	0.42416E-02	240.0
	3	0.35377E-02	0.10352E-03	0.35392E-02	88.3
	4	0.47426E-01	0.67736E-01	0.82689E-01	34.9
	5	-0.24973E-02	0.14926E-02	0.29093E-02	300.8
	6	-0.26064E-02	-0.43802E-02	0.50970E-02	210.7
	7	-0.80602E-04	0.87037E-03	0.87409E-03	354.7
	8	-0.90243E-02	0.36006E-01	0.37119E-01	345.9
	9	-0.46353E-03	-0.55452E-03	0.72275E-03	219.8
	10	-0.50863E-03	-0.45617E-02	0.45900E-02	186.3

MAX= 0.71432E-01 MIN=-0.13613E 00 PEAK TO PEAK/2= 0.10378E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 23  
TP 8  
CHAN 61

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.91446E-01	1	0.85509E-03	0.26886E-02	0.28213E-02	17.6
	2	0.10287E-02	-0.14935E-02	0.18135E-02	145.4
	3	0.41452E-02	-0.23182E-02	0.47494E-02	119.2
	4	0.10104E-00	0.31924E-01	0.10597E-00	72.4
	5	-0.70220E-03	0.19206E-02	0.20449E-02	339.9
	6	0.15804E-02	-0.13077E-02	0.20513E-02	129.6
	7	0.15518E-02	0.13187E-02	0.20365E-02	49.6
	8	0.47473E-01	0.22936E-01	0.52723E-01	64.2
	9	0.10951E-03	-0.26461E-03	0.28638E-03	157.5
	10	-0.53288E-03	-0.11969E-02	0.13102E-02	203.9

MAX= 0.10648E 00 MIN=-0.16663E 00 PEAK TO PEAK/2= 0.13655E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	23
ENTERED 38	TP	8
OUT OF RANGE 0	CHAN	46
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.28715E-01	1	0.37432E-02	0.35865E-02	0.51841E-02	46.2
	2	0.47668E-02	-0.55167E-03	0.47986E-02	96.6
	3	0.15157E-02	-0.47582E-02	0.49938E-02	162.3
	4	0.96586E-01	-0.60223E-01	0.11382E-00	121.9
	5	0.73214E-03	-0.16751E-04	0.73234E-03	91.3
	6	0.70168E-03	0.13753E-02	0.15439E-02	27.0
	7	0.60130E-03	-0.21477E-03	0.63850E-03	109.6
	8	0.19287E-01	-0.37853E-01	0.42483E-01	152.9
	9	-0.12475E-02	-0.32475E-03	0.12891E-02	255.4
	10	-0.55824E-04	0.37816E-02	0.37820E-02	359.1

MAX= 0.15886E 00 MIN=-0.11199E 00 PEAK TO PEAK/2= 0.13543E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 23  
TP 8  
CHAN 48

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.13707E-01	1	0.30313E-02	0.34388E-02	0.45841E-02	41.3
	2	0.47854E-03	-0.16526E-02	0.17205E-02	163.8
	3	-0.97311E-03	-0.31157E-02	0.32641E-02	197.3
	4	0.20086E-01	-0.57306E-01	0.60724E-01	160.6
	5	0.12381E-02	-0.11345E-02	0.16793E-02	132.5
	6	-0.18582E-02	-0.54832E-04	0.18590E-02	268.3
	7	-0.59516E-03	0.29915E-03	0.66612E-03	296.6
	8	-0.18441E-01	-0.10258E-01	0.21102E-01	240.9
	9	-0.84874E-03	-0.18660E-03	0.86901E-03	257.6
	10	0.16559E-03	0.40485E-05	0.16564E-03	88.5

MAX= 0.82746E-01 MIN=-0.62251E-01 PEAK TO PEAK/2= 0.72499E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	23
ENTERED 38	TP	8
OUT OF RANGE 0	CHAN	50
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.32305E-01	1	0.87286E-03	0.12129E-02	0.14943E-02	35.7
	2	0.14268E-03	-0.61425E-03	0.63060E-03	166.9
	3	-0.45693E-03	-0.21639E-02	0.22116E-02	191.9
	4	0.37175E-02	-0.90077E-02	0.97447E-02	157.5
	5	0.64601E-03	-0.79933E-03	0.10277E-02	141.0
	6	-0.17619E-02	-0.86751E-03	0.19638E-02	243.7
	7	-0.14247E-03	0.85520E-03	0.86699E-03	350.5
	8	-0.30562E-02	-0.12873E-02	0.33163E-02	247.1
	9	-0.20691E-03	-0.45539E-03	0.50019E-03	204.4
	10	0.46744E-03	-0.14633E-04	0.46767E-03	91.7

MAX=-0.17725E-01 MIN=-0.42202E-01 PEAK TO PEAK/2= 0.12238E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	23
ENTERED	TP	8
OUT OF RANGE	CHAN	55
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.41471E-01	1	-0.22512E-02	-0.18111E-03	0.22585E-02	265.4
	2	-0.63341E-03	0.79338E-03	0.10152E-02	321.3
	3	0.40697E-03	0.63100E-03	0.75086E-03	32.8
	4	-0.16438E-01	0.90451E-02	0.18763E-01	298.8
	5	-0.46159E-03	-0.11071E-02	0.11995E-02	202.6
	6	-0.50465E-03	0.63075E-04	0.50858E-03	277.1
	7	-0.56024E-03	-0.32764E-03	0.64901E-03	239.6
	8	0.17211E-02	-0.35953E-02	0.39860E-02	154.4
	9	0.29662E-03	0.15662E-03	0.33543E-03	62.1
	10	0.25102E-04	0.56610E-03	0.56665E-03	2.5

MAX=-0.15565E-01 MIN=-0.59862E-01 PEAK TO PEAK/2= 0.22148E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 23
ENTERED 38	TP 8
OUT OF RANGE 0	CHAN 59
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.43082E-01	1	-0.77714E-02	0.11115E-01	0.13562E-01	325.0
	2	0.22894E-01	0.38362E-02	0.23213E-01	80.4
	3	0.23689E-02	-0.14256E-01	0.14452E-01	170.5
	4	0.11171E-01	0.32289E-01	0.34167E-01	19.0
	5	-0.89153E-02	0.96360E-02	0.13127E-01	317.2
	6	0.14506E-01	0.13456E-01	0.19787E-01	47.1
	7	0.96680E-02	-0.10785E-01	0.14484E-01	138.1
	8	-0.10879E-01	-0.57570E-03	0.10894E-01	266.9
	9	-0.12499E-01	0.43630E-02	0.13238E-01	289.2
	10	0.57025E-02	0.15733E-01	0.16734E-01	19.9

MAX= 0.14881E 00 MIN=-0.19493E 00 PEAK TO PEAK/2= 0.17187E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 23  
TP 8  
CHAN 62

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.51066E-01	1	0.31802E-02	0.54558E-03	0.32267E-02	80.2
	2	0.17047E-02	-0.16430E-02	0.23676E-02	133.9
	3	0.34361E-02	-0.16628E-02	0.38172E-02	115.8
	4	0.77406E-01	0.28559E-01	0.82507E-01	69.7
	5	-0.27203E-03	-0.59721E-04	0.27850E-03	257.6
	6	-0.41750E-04	-0.29090E-02	0.29093E-02	180.8
	7	0.15104E-04	-0.20063E-03	0.20119E-03	175.6
	8	0.23800E-01	0.11570E-01	0.26463E-01	64.0
	9	-0.77742E-03	-0.57171E-03	0.96500E-03	233.6
	10	-0.23211E-02	-0.16414E-03	0.23269E-02	265.9

MAX= 0.18291E 00 MIN=-0.20689E-01 PEAK TO PEAK/2= 0.10180E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 23  
TP 8  
CHAN 47

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.90355E-01	1	0.31351E-02	0.17991E-02	0.36146E-02	60.1
	2	0.36640E-02	-0.92944E-03	0.37801E-02	104.2
	3	-0.15230E-02	-0.26130E-02	0.30245E-02	210.2
	4	0.59690E-01	-0.59851E-01	0.84529E-01	135.0
	5	0.25170E-02	-0.16181E-02	0.29923E-02	122.7
	6	0.21377E-02	0.20039E-02	0.29301E-02	46.8
	7	-0.21133E-02	-0.20827E-03	0.21235E-02	264.3
	8	-0.86841E-02	-0.10848E-01	0.13895E-01	218.6
	9	0.16646E-02	-0.58716E-03	0.17652E-02	109.4
	10	0.47701E-02	0.38954E-02	0.61586E-02	50.7

MAX= 0.21298E 00 MIN= 0.19697E-01 PEAK TO PEAK/2= 0.96643E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 23
ENTERED 38	TP 8
OUT OF RANGE 0	CHAN 49
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.11404E-01	1	0.26101E-02	0.27233E-02	0.37722E-02	63.7
	2	-0.10414E-02	-0.74745E-03	0.12818E-02	234.3
	3	-0.18813E-02	-0.11856E-02	0.22238E-02	237.7
	4	-0.50165E-02	-0.17872E-01	0.18563E-01	195.6
	5	0.40646E-03	-0.92748E-03	0.10126E-02	156.3
	6	-0.14913E-02	0.41794E-03	0.15487E-02	285.6
	7	0.11992E-03	0.11197E-02	0.11262E-02	6.1
	8	-0.36853E-02	0.30749E-02	0.47997E-02	309.8
	9	-0.29447E-03	-0.11792E-03	0.31721E-03	248.1
	10	0.10605E-03	-0.68401E-04	0.12619E-03	122.8

MAX= 0.41745E-01 MIN=-0.48611E-02 PEAK TO PEAK/2= 0.23303E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 23
ENTERED 38	TP 8
OUT OF RANGE 0	CHAN 53
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.19027E-01	1	0.15929E-02	0.78932E-03	0.17778E-02	63.6
	2	0.87317E-03	-0.10887E-02	0.13956E-02	141.2
	3	-0.44449E-03	-0.12117E-04	0.44465E-03	268.4
	4	-0.18363E-02	-0.15529E-02	0.24049E-02	229.7
	5	-0.24991E-02	0.12116E-02	0.27795E-02	295.9
	6	-0.67400E-03	-0.68141E-03	0.95844E-03	224.6
	7	0.21821E-03	0.80086E-03	0.83006E-03	15.2
	8	0.28270E-02	-0.84559E-03	0.29507E-02	106.6
	9	-0.37802E-05	-0.27991E-02	0.27992E-02	180.0
	10	0.16098E-02	-0.85672E-03	0.18236E-02	118.0

MAX= 0.32533E-01 MIN= 0.37637E-02 PEAK TO PEAK/2= 0.14385E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 24  
TP 1  
CHAN 51

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.14990E 00	1	-0.22674E-03	0.43133E-02	0.43193E-02	356.9
	2	0.26264E-02	0.25331E-02	0.36489E-02	46.0
	3	0.40000E-03	-0.14502E-03	0.42547E-03	109.9
	4	0.53003E-02	-0.87065E-03	0.53713E-02	99.3
	5	0.90173E-04	-0.90711E-05	0.90628E-04	95.7
	6	-0.26015E-03	-0.36155E-03	0.44542E-03	215.7
	7	0.86453E-03	0.43876E-03	0.96950E-03	63.0
	8	0.97691E-03	0.43392E-03	0.10689E-02	66.0
	9	-0.29741E-04	-0.40579E-03	0.40688E-03	184.1
	10	-0.37245E-03	-0.58013E-03	0.68940E-03	212.7

MAX= 0.15982E 00 MIN= 0.13758E 00 PEAK TO PEAK/2= 0.11117E-01



AZIMUTH POSITION IN DEGREES


UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***				RUN	24
ENTERED	38	TP		TP	1
OUT OF RANGE	0	CHAN		CHAN	57
BANDEdge	0				

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.87793E-01	1	0.49001E-03	0.15223E-02	0.15993E-02	17.8
	2	0.24986E-02	0.24203E-02	0.34786E-02	45.9
	3	0.28624E-02	0.29308E-03	0.28773E-02	84.1
	4	0.20988E-01	0.17842E-01	0.27547E-01	49.6
	5	-0.29488E-03	0.79336E-03	0.84639E-03	339.6
	6	-0.24095E-03	0.61249E-03	0.65818E-03	338.5
	7	0.88625E-04	0.15574E-02	0.15599E-02	3.2
	8	0.51194E-02	0.10853E-01	0.12000E-01	25.2
	9	-0.69452E-03	0.14965E-03	0.71046E-03	282.1
	10	-0.49915E-03	-0.19199E-03	0.53480E-03	248.9

MAX= 0.13728E 00 MIN= 0.66189E-01 PEAK TO PEAK/2= 0.35550E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 24  
TP 1  
CHAN 60

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.72348E-01	1	0.53298E-02	0.15835E-02	0.55601E-02	73.4
	2	0.22588E-01	0.21044E-02	0.22686E-01	84.6
	3	0.55885E-02	0.17059E-03	0.55911E-02	88.2
	4	0.53614E-01	0.13316E-01	0.55243E-01	76.0
	5	0.38152E-02	0.18161E-02	0.42254E-02	64.5
	6	0.20539E-01	0.39774E-02	0.20920E-01	79.0
	7	0.33745E-02	0.68339E-03	0.34430E-02	78.5
	8	0.35198E-01	0.11384E-01	0.36993E-01	72.0
	9	0.30966E-02	0.17608E-02	0.35622E-02	60.3
	10	0.17966E-01	0.87114E-02	0.19966E-01	64.1

MAX= 0.35007E 00 MIN= 0.36220E-01 PEAK TO PEAK/2= 0.15692E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 24
ENTERED 37	TP 1
OUT OF RANGE 0	CHAN 45
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.60416E-01	1	-0.22581E-02	0.24059E-02	0.32997E-02	316.8
	2	0.34745E-03	0.31767E-03	0.47079E-03	47.5
	3	-0.33093E-02	-0.19800E-02	0.38564E-02	239.1
	4	0.33043E-01	-0.15121E-02	0.33077E-01	92.6
	5	0.21716E-02	0.19034E-02	0.28877E-02	48.7
	6	0.11773E-02	-0.21871E-02	0.24838E-02	151.7
	7	-0.24777E-02	-0.13202E-02	0.28075E-02	241.9
	8	0.13888E-01	-0.50764E-03	0.13897E-01	92.0
	9	0.20433E-02	0.13721E-02	0.24613E-02	56.1
	10	0.14322E-02	-0.21196E-02	0.25581E-02	145.9

MAX= 0.12254E 00 MIN= 0.34538E-01 PEAK TO PEAK/2= 0.44001E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEDGE 0

RUN 24  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.60347E 00	1	0.99173E-03	0.29953E-02	0.31552E-02	18.3
	2	0.84152E-03	0.48398E-03	0.97077E-03	60.0
	3	-0.71888E-03	0.33526E-03	0.79321E-03	295.0
	4	0.61613E-03	-0.74375E-03	0.96580E-03	140.3
	5	-0.31505E-03	-0.86438E-03	0.92001E-03	200.0
	6	0.80838E-04	-0.70795E-03	0.71255E-03	173.4
	7	-0.22431E-03	-0.14970E-03	0.26967E-03	236.2
	8	0.52240E-04	-0.80790E-03	0.80959E-03	176.3
	9	0.16083E-03	-0.18728E-03	0.24686E-03	139.3
	10	0.16599E-03	-0.30666E-03	0.34870E-03	151.5

MAX= 0.60921E 00 MIN= 0.58329E 00 PEAK TO PEAK/2= 0.12962E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 24
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 54
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.41616E-01	1	-0.24770E-02	0.10214E-02	0.26794E-02	292.4
	2	0.23392E-02	-0.12786E-03	0.23427E-02	93.1
	3	-0.15741E-03	-0.42078E-04	0.16294E-03	255.0
	4	-0.18198E-02	0.48069E-02	0.51399E-02	339.2
	5	0.29299E-03	-0.54294E-03	0.61695E-03	151.6
	6	-0.10274E-03	-0.18292E-03	0.20980E-03	209.3
	7	-0.37943E-03	-0.25028E-03	0.45455E-03	236.5
	8	-0.87284E-03	-0.18287E-03	0.89180E-03	258.1
	9	-0.13621E-03	0.13676E-04	0.13689E-03	275.7
	10	-0.10239E-03	-0.63235E-04	0.12034E-03	238.3

MAX= 0.51905E-01 MIN= 0.33542E-01 PEAK TO PEAK/2= 0.91816E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 24  
TP 1  
CHAN 56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.72434E-01	1	-0.78967E-03	0.34757E-02	0.35642E-02	347.1
	2	0.78166E-03	0.21030E-02	0.22436E-02	20.3
	3	0.12416E-02	-0.91162E-04	0.12449E-02	94.1
	4	0.32669E-02	0.14347E-01	0.14715E-01	12.8
	5	-0.11168E-02	-0.47149E-03	0.12122E-02	247.1
	6	-0.42878E-03	0.43424E-03	0.61026E-03	315.3
	7	-0.67204E-03	0.75080E-03	0.10076E-02	318.1
	8	-0.28393E-02	0.24807E-02	0.37704E-02	311.1
	9	0.27753E-03	-0.19225E-03	0.33762E-03	124.7
	10	0.12638E-03	-0.44988E-03	0.46730E-03	164.3

MAX=-0.48268E-01 MIN=-0.86249E-01 PEAK TO PEAK/2= 0.18990E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	24
ENTERED	TP	1
OUT OF RANGE	CHAN	58
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.59359E-02	1	0.37228E-03	0.18413E-02	0.18786E-02	11.4
	2	0.51504E-02	0.14957E-02	0.53632E-02	73.8
	3	0.19905E-02	0.24229E-03	0.20052E-02	83.0
	4	0.17434E-01	0.19750E-01	0.26344E-01	41.4
	5	-0.98006E-03	0.86467E-03	0.13069E-02	311.4
	6	0.25058E-02	0.18937E-02	0.31409E-02	52.9
	7	0.58094E-03	0.90452E-03	0.10750E-02	32.7
	8	0.90394E-03	0.10654E-01	0.10693E-01	4.8
	9	-0.51442E-03	-0.14926E-03	0.53564E-03	253.8
	10	0.20342E-02	0.17001E-02	0.26511E-02	50.1

MAX= 0.40835E-01 MIN=-0.25022E-01 PEAK TC PEAK/2= 0.32929E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	24
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	61
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.68299E-01	1	0.52295E-02	0.27536E-02	0.59101E-02	62.2
	2	0.11746E-01	0.70891E-03	0.11767E-01	86.5
	3	0.79502E-02	-0.14693E-02	0.80848E-02	100.4
	4	0.44183E-01	0.16488E-01	0.47159E-01	69.5
	5	0.43764E-02	0.26137E-02	0.50975E-02	59.1
	6	0.97892E-02	0.13878E-02	0.98871E-02	81.9
	7	0.66899E-02	0.46809E-03	0.67063E-02	85.9
	8	0.23822E-01	0.12295E-01	0.26808E-01	62.6
	9	0.37415E-02	0.21526E-02	0.43166E-02	60.0
	10	0.84084E-02	0.26486E-02	0.88157E-02	72.5

MAX= 0.26777E 00 MIN= 0.35443E-01 PEAK TO PEAK/2= 0.11616E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	37	RUN	24
OUT OF RANGE	0	TP	1
BANEDGE	0	CHAN	46

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.45487E-01	1	-0.18245E-02	0.27346E-02	0.32874E-02	326.2
	2	-0.10977E-02	-0.10973E-02	0.15521E-02	225.0
	3	-0.41111E-02	-0.20208E-02	0.45809E-02	243.8
	4	0.35379E-01	-0.46171E-02	0.35679E-01	97.4
	5	0.24059E-02	0.14898E-02	0.28298E-02	58.2
	6	0.22905E-03	-0.22910E-02	0.23024E-02	174.2
	7	-0.25304E-02	-0.16615E-02	0.30271E-02	236.7
	8	0.14467E-01	-0.16353E-02	0.14559E-01	96.4
	9	0.23148E-02	0.11504E-02	0.25849E-02	63.5
	10	0.13106E-02	-0.29410E-02	0.32198E-02	155.9

MAX= 0.10756E 00 MIN= 0.19246E-01 PEAK TO PEAK/2= 0.44159E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	24
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	48
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.31022E 00	1	0.36327E-02	0.15864E-02	0.39640E-02	66.4
	2	0.26479E-02	-0.28663E-02	0.39022E-02	137.2
	3	-0.99408E-03	-0.22776E-02	0.24851E-02	203.5
	4	0.45871E-02	-0.20251E-01	0.20764E-01	167.2
	5	0.41885E-03	-0.82280E-03	0.92327E-03	153.0
	6	-0.14870E-02	-0.18805E-02	0.23974E-02	218.3
	7	-0.11231E-02	0.42415E-03	0.12006E-02	290.6
	8	-0.16494E-02	-0.34109E-02	0.37888E-02	205.8
	9	-0.96959E-04	0.50250E-04	0.10920E-03	297.3
	10	-0.71069E-03	0.29452E-03	0.76930E-03	292.5

MAX= 0.34661E 00 MIN= 0.28995E 00 PEAK TC PEAK/2= 0.28329E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 24  
TP 1  
CHAN 50

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.53186E 00	1	0.35088E-02	-0.30608E-02	0.46562E-02	131.0
	2	-0.52258E-02	-0.17625E-02	0.55150E-02	251.3
	3	0.18754E-03	0.18118E-02	0.18215E-02	5.9
	4	-0.33425E-02	-0.46190E-02	0.57015E-02	215.8
	5	-0.12356E-02	0.34021E-03	0.12815E-02	285.3
	6	0.20966E-03	0.62531E-03	0.65952E-03	18.5
	7	-0.90463E-04	0.58171E-03	0.58870E-03	351.1
	8	-0.40181E-03	0.40847E-03	0.57298E-03	315.4
	9	0.28315E-03	-0.16584E-03	0.32815E-03	120.3
	10	-0.98317E-04	-0.17620E-03	0.20177E-03	209.1

MAX= 0.54408E 00 MIN= 0.51649E 00 PEAK TO PEAK/2= 0.13796E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 24  
TP 1  
CHAN 55

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.46498E-01	1	-0.10101E-02	0.12924E-02	0.16403E-02	321.9
	2	0.14767E-02	0.89887E-03	0.17287E-02	58.6
	3	0.13236E-03	0.54622E-03	0.56203E-03	13.6
	4	-0.43329E-02	0.29119E-02	0.52204E-02	303.9
	5	-0.15831E-03	-0.49524E-03	0.51993E-03	197.7
	6	-0.10747E-03	-0.36125E-03	0.37690E-03	196.5
	7	-0.25995E-03	-0.18935E-03	0.32160E-03	233.9
	8	-0.56443E-03	-0.33048E-03	0.65406E-03	239.6
	9	-0.28465E-03	0.55463E-05	0.28470E-03	271.1
	10	0.86721E-04	0.43341E-04	0.96949E-04	63.4

MAX=-0.39417E-01 MIN=-0.54099E-01 PEAK TO PEAK/2= 0.73408E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	24
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	59
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.42236E-02	1	0.23455E-03	0.23689E-03	0.33337E-03	44.7
	2	0.48147E-03	-0.13227E-04	0.48165E-03	91.5
	3	0.42562E-03	-0.50025E-03	0.65681E-03	139.6
	4	0.46330E-04	0.87777E-04	0.99253E-04	27.8
	5	0.70697E-03	0.11538E-03	0.71632E-03	80.7
	6	0.97699E-04	0.59052E-04	0.11415E-03	58.8
	7	0.31195E-03	-0.24891E-03	0.39909E-03	128.5
	8	0.49078E-03	0.47961E-04	0.49311E-03	84.4
	9	0.34161E-03	0.51228E-04	0.34543E-03	81.4
	10	-0.18141E-04	0.40914E-03	0.40954E-03	357.4

MAX= 0.10167E-01 MIN= 0.24208E-02 PEAK TO PEAK/2= 0.38732E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 24
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 62
BANEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.38457E-01	1	0.28962E-03	0.15064E-02	0.15340E-02	10.8
	2	0.86132E-03	-0.38053E-03	0.94163E-03	113.8
	3	0.18118E-02	-0.37136E-03	0.18495E-02	101.5
	4	0.24960E-01	0.12510E-01	0.27920E-01	63.3
	5	-0.39971E-03	0.68419E-03	0.79239E-03	329.7
	6	0.24924E-04	-0.63136E-03	0.63185E-03	177.7
	7	0.68419E-03	0.36450E-03	0.77522E-03	61.9
	8	0.90424E-02	0.76933E-02	0.11872E-01	49.6
	9	-0.11544E-03	0.44971E-03	0.46429E-03	345.6
	10	-0.70582E-03	-0.10429E-02	0.12593E-02	214.0

MAX= 0.92994E-01 MIN= 0.17877E-01 PEAK TO PEAK/2= 0.37558E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 24
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 47
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.11907E-01	1	0.19634E-02	0.21840E-02	0.29368E-02	41.9
	2	-0.82787E-03	-0.24384E-02	0.25751E-02	198.7
	3	-0.33226E-03	-0.29551E-02	0.29738E-02	186.4
	4	0.22983E-01	-0.17906E-01	0.29135E-01	127.9
	5	0.45499E-03	0.89199E-03	0.10013E-02	27.0
	6	-0.34418E-02	-0.24986E-02	0.42531E-02	234.0
	7	-0.12195E-02	-0.35782E-03	0.12709E-02	253.6
	8	0.61042E-02	-0.67189E-02	0.90778E-02	137.7
	9	-0.90158E-04	0.38365E-03	0.39410E-03	346.7
	10	-0.37917E-02	-0.21656E-02	0.43666E-02	240.2

MAX= 0.66122E-01 MIN=-0.11345E-01 PEAK TO PEAK/2= 0.38733E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	24
ENTERED	TP	1
OUT OF RANGE	CHAN	49
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.26473E 00	1	0.20707E-02	-0.43868E-03	0.21167E-02	101.9
	2	0.63783E-03	-0.19407E-02	0.20428E-02	161.8
	3	-0.39073E-03	-0.71966E-03	0.81889E-03	208.4
	4	-0.23557E-02	-0.44956E-02	0.50754E-02	207.6
	5	0.81558E-05	0.29980E-03	0.29991E-03	1.5
	6	-0.73829E-03	0.20251E-04	0.73857E-03	271.5
	7	0.22185E-03	0.33882E-03	0.40499E-03	33.2
	8	0.61524E-03	-0.13116E-03	0.62906E-03	102.0
	9	0.31682E-03	-0.13575E-03	0.34468E-03	113.1
	10	-0.56277E-03	0.13832E-04	0.56294E-03	271.4

MAX=-0.25472E 00 MIN=-0.27179E 00 PEAK TO PEAK/2= 0.85373E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 24  
TP 1  
CHAN 53

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.62560E-01	1	-0.64128E-03	0.34730E-02	0.35317E-02	349.5
	2	0.75461E-03	0.66197E-03	0.10038E-02	48.7
	3	0.57889E-03	-0.28455E-03	0.64505E-03	116.1
	4	-0.27216E-03	-0.12370E-02	0.12666E-02	192.4
	5	-0.34899E-03	-0.40047E-03	0.53120E-03	221.0
	6	-0.91981E-04	0.36393E-03	0.37538E-03	345.8
	7	-0.41765E-03	0.52600E-03	0.67165E-03	321.5
	8	0.17264E-03	-0.52722E-03	0.55477E-03	161.8
	9	0.11151E-03	0.19941E-03	0.22847E-03	29.2
	10	0.37642E-03	0.64413E-04	0.38190E-03	80.2

MAX= 0.67683E-01 MIN= 0.53329E-01 PEAK TO PEAK/2= 0.71765E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 25  
TP 1  
CHAN 51

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.15400E 00	1	0.12637E-02	0.94784E-03	0.15797E-02	53.1
	2	0.64602E-03	-0.64540E-03	0.91318E-03	134.9
	3	-0.10949E-03	-0.20116E-03	0.22902E-03	208.5
	4	0.44761E-02	-0.11752E-02	0.46278E-02	104.7
	5	-0.63638E-03	-0.14020E-03	0.65164E-03	257.5
	6	-0.11728E-03	-0.79465E-03	0.80326E-03	188.3
	7	0.19587E-03	-0.32789E-03	0.38194E-03	149.1
	8	0.14796E-02	-0.84299E-04	0.14820E-02	93.2
	9	0.39440E-03	-0.17914E-03	0.43318E-03	114.4
	10	0.15324E-03	0.60746E-03	0.62649E-03	14.1

MAX= 0.16346E 00 MIN= 0.14768E 00 PEAK TO PEAK/2= 0.78925E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 1  
BANDEDGE 1

RUN 25  
TP 1  
CHAN 57

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.70229E-01	1	-0.15288E-02	-0.46137E-03	0.15969E-02	253.2
	2	0.86186E-03	-0.44679E-03	0.97079E-03	117.4
	3	-0.14344E-03	-0.14808E-02	0.14877E-02	185.5
	4	0.13815E-01	0.20351E-01	0.24597E-01	34.1
	5	-0.97446E-03	-0.67645E-03	0.11862E-02	235.2
	6	0.10264E-02	0.17737E-02	0.20493E-02	30.0
	7	0.28409E-03	-0.35887E-03	0.45771E-03	141.6
	8	0.71849E-03	0.98760E-02	0.99021E-02	4.1
	9	-0.29161E-03	-0.89109E-03	0.93759E-03	198.1
	10	-0.86433E-03	0.67629E-03	0.10974E-02	308.0

MAX= 0.12248E 00 MIN= 0.50033E-01 PEAK TO PEAK/2= 0.36226E-01



BBBB	A	N	N	DDDD	EEEE	DDDD	GGGG	EEEE
B	B	A	NN	D	E	D	G	F
BBBB	A	A	NN	D	EEE	D	G	EEE
B	B	AAAAA	N	NN	D	D	G	G
BBBB	A	A	N	N	DDDD	EEEE	GGGG	EEEE

UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 1  
BANDEdge 1

RUN 25  
TP 1  
CHAN 60

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.34489E-01	1	-0.45835E-03	-0.10378E-02	0.11346E-02	203.8
	2	-0.69950E-03	-0.18893E-02	0.20146E-02	200.3
	3	-0.17325E-02	-0.13586E-02	0.22017E-02	231.8
	4	0.26987E-01	0.12892E-01	0.29909E-01	64.4
	5	-0.65940E-03	0.64987E-03	0.92582E-03	314.5
	6	0.14033E-02	0.51194E-03	0.14937E-02	69.9
	7	-0.17292E-02	-0.57530E-03	0.18224E-02	251.5
	8	0.10471E-01	0.85779E-02	0.13536E-01	50.6
	9	-0.15643E-03	0.10235E-03	0.18694E-03	303.1
	10	0.12900E-02	0.68459E-03	0.14604E-02	62.0

MAX= 0.91811E-01 MIN= 0.88001E-02 PEAK TO PEAK/2= 0.41505E-01



B	B	A	N	N	D	D	E	D	G	G	E
B	B	A	NN	N	D	D	E	D	D	G	EEE
B	B	A	A	N	N	D	D	E	D	G	GGG
B	B	AAAAA	N	NN	D	D	E	D	D	G	E
B	B	A	A	N	N	DDDD	EEEE	DDDD	DDDD	GGGG	EEEE

UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 25  
TP 1  
CHAN 45

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.36894E-01	1	0.10487E-02	-0.19023E-04	0.10489E-02	91.0
	2	0.27264E-02	-0.33363E-02	0.43086E-02	140.7
	3	-0.76930E-03	-0.14819E-02	0.16697E-02	207.4
	4	0.27106E-01	-0.10322E-01	0.29005E-01	110.8
	5	-0.82247E-04	0.13573E-03	0.15871E-03	328.7
	6	-0.11752E-02	-0.37900E-02	0.39680E-02	197.2
	7	-0.85385E-03	-0.18417E-03	0.87349E-03	257.8
	8	0.58797E-02	-0.45080E-02	0.74090E-02	127.4
	9	0.13994E-03	0.36346E-03	0.38947E-03	21.0
	10	-0.30633E-02	0.13286E-02	0.33391E-02	293.4

MAX= 0.79528E-01 MIN= 0.14146E-01 PEAK TO PEAK/2= 0.32690E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEDGE 0

RUN 25  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.59579E 00	1	0.92597E-03	0.69879E-03	0.11600E-02	52.9
	2	0.33104E-03	-0.32811E-03	0.46610E-03	134.7
	3	-0.13718E-03	-0.34911E-03	0.37510E-03	201.4
	4	0.44337E-03	-0.20171E-02	0.20653E-02	167.6
	5	-0.22628E-03	-0.39664E-03	0.45664E-03	209.7
	6	-0.14196E-03	-0.42540E-03	0.44847E-03	198.4
	7	-0.17713E-03	0.20385E-04	0.17830E-03	276.5
	8	0.67471E-03	-0.11352E-02	0.13206E-02	149.2
	9	0.16304E-03	-0.90662E-04	0.18655E-03	119.0
	10	-0.17329E-03	-0.27223E-03	0.32271E-03	212.4

MAX= 0.60003E 00 MIN= 0.58329E 00 PEAK TO PEAK/2= 0.83683E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 25
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 54
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.58178E-01	1	0.28891E-03	0.15743E-02	0.16006E-02	10.3
	2	0.29669E-03	0.49522E-03	0.57730E-03	30.9
	3	0.16165E-03	0.33783E-03	0.37452E-03	25.5
	4	-0.31903E-02	0.27719E-02	0.42263E-02	310.9
	5	-0.17489E-03	-0.45775E-03	0.49002E-03	200.9
	6	-0.52696E-04	-0.23428E-03	0.24013E-03	192.6
	7	0.54437E-04	-0.18439E-04	0.57476E-04	108.7
	8	-0.26013E-03	-0.12542E-02	0.12809E-02	191.7
	9	-0.13212E-03	-0.18816E-03	0.22992E-03	215.0
	10	-0.79015E-04	-0.52911E-04	0.95094E-04	236.1

MAX= 0.65471E-01 MIN= 0.53258E-01 PEAK TO PEAK/2= 0.61065E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	25
OUT OF RANGE	0	TP	1
BANDEDGE	0	CHAN	56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.47604E-01	1	0.23291E-02	-0.85817E-04	0.23307E-02	92.1
	2	0.59996E-03	0.43165E-03	0.73911E-03	54.2
	3	0.10935E-02	-0.62065E-03	0.12573E-02	119.5
	4	-0.38001E-02	0.14136E-01	0.14638E-01	344.9
	5	-0.21339E-03	-0.38093E-03	0.43663E-03	209.2
	6	-0.46975E-04	0.55840E-03	0.56037E-03	355.1
	7	0.11122E-02	-0.68282E-03	0.13051E-02	121.5
	8	-0.31827E-02	-0.13620E-02	0.34619E-02	246.8
	9	0.22775E-03	-0.16721E-03	0.28254E-03	126.2
	10	0.46492E-03	-0.31789E-03	0.56321E-03	124.3

MAX=-0.26903E-01 MIN=-0.63424E-01 PEAK TO PEAK/2= 0.18260E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	25
OUT OF RANGE	0	TP	1
BANDEDGE	0	CHAN	58

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.16291E-01	1	0.18191E-02	0.46046E-03	0.18765E-02	75.7
	2	-0.82426E-03	0.12504E-02	0.14976E-02	326.6
	3	0.88486E-03	-0.97072E-04	0.89017E-03	96.2
	4	0.57037E-02	0.13816E-01	0.14947E-01	22.4
	5	-0.11883E-02	0.45089E-03	0.12710E-02	290.7
	6	0.29799E-02	0.22251E-02	0.37190E-02	53.2
	7	0.25782E-03	-0.63674E-03	0.68696E-03	157.9
	8	-0.64520E-02	0.53314E-02	0.83697E-02	309.5
	9	0.66142E-04	0.76083E-03	0.76370E-03	4.9
	10	0.35253E-02	-0.25460E-02	0.43485E-02	125.8

MAX= 0.13268E-01 MIN=-0.37685E-01 PEAK TO PEAK/2= 0.25476E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 25  
TP 1  
CHAN 61

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.40931E-01	1	0.38652E-02	0.95585E-02	0.10310E-01	22.0
	2	-0.70295E-02	0.46264E-02	0.84153E-02	303.3
	3	-0.78657E-02	-0.39122E-02	0.87850E-02	243.5
	4	0.22288E-01	0.67801E-02	0.23296E-01	73.0
	5	0.77921E-02	-0.24110E-02	0.81566E-02	107.1
	6	0.64192E-02	0.76277E-02	0.99694E-02	40.0
	7	-0.42364E-02	0.72365E-02	0.83853E-02	329.6
	8	0.15261E-02	0.92536E-02	0.93786E-02	9.3
	9	-0.24295E-02	-0.73168E-02	0.77096E-02	198.3
	10	0.93381E-02	-0.56301E-02	0.10904E-01	121.0

MAX= 0.17737E 00 MIN= 0.14621E-02 PEAK TO PEAK/2= 0.87954E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 25  
TP 1  
CHAN 46

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.24447E-01	1	0.59436E-03	0.15911E-02	0.16985E-02	20.4
	2	0.26112E-02	-0.25680E-02	0.36624E-02	134.5
	3	-0.17904E-02	0.11489E-02	0.21273E-02	302.6
	4	0.22460E-01	-0.11045E-01	0.25029E-01	116.1
	5	0.12729E-02	0.92583E-03	0.15740E-02	53.9
	6	-0.15670E-02	-0.18695E-02	0.24394E-02	219.9
	7	0.14807E-02	0.11005E-02	0.18448E-02	53.3
	8	0.48564E-02	-0.50249E-02	0.69882E-02	135.9
	9	0.18939E-02	0.26756E-03	0.19128E-02	81.9
	10	-0.21162E-02	0.10530E-02	0.23637E-02	296.4

MAX= 0.67479E-01 MIN= 0.26566E-02 PEAK TO PEAK/2= 0.32411E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 25
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 48
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.31819E 00	1	0.19849E-02	0.16536E-02	0.25834E-02	50.2
	2	0.17980E-02	-0.17665E-02	0.25206E-02	134.4
	3	-0.86192E-03	-0.80900E-03	0.11821E-02	226.8
	4	0.68428E-02	-0.16838E-01	0.18175E-01	157.8
	5	0.11870E-02	-0.97402E-03	0.15354E-02	129.3
	6	0.20523E-04	-0.68732E-03	0.68762E-03	178.2
	7	-0.21934E-03	0.78380E-03	0.81391E-03	344.3
	8	-0.28288E-03	-0.23127E-02	0.23299E-02	186.9
	9	0.97527E-04	-0.44216E-03	0.45279E-03	167.5
	10	0.74658E-04	-0.19442E-03	0.20826E-03	158.9

MAX= 0.34238E 00 MIN= 0.29990E 00 PEAK TO PEAK/2= 0.21241E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 25
ENTERED 38	TP 1
OUT OF RANGE 38	CHAN 50
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.56356E 00	1	0.15932E-02	0.40400E-03	0.16436E-02	75.7
	2	0.50773E-03	-0.96299E-03	0.10886E-02	152.1
	3	-0.28483E-03	-0.33291E-03	0.43813E-03	220.5
	4	-0.12266E-02	-0.64521E-02	0.65676E-02	190.7
	5	-0.11691E-03	-0.47022E-03	0.48454E-03	193.9
	6	-0.48849E-03	-0.22957E-03	0.53975E-03	244.8
	7	0.10625E-03	0.13440E-03	0.17132E-03	38.3
	8	0.38997E-03	-0.11476E-02	0.12121E-02	161.2
	9	0.80330E-04	0.58173E-04	0.99182E-04	54.0
	10	-0.13846E-03	-0.41420E-03	0.43673E-03	198.4

MAX= 0.57278E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.20516E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	25
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	55
BANDEdge	0		

STFADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.26752E-01	1	-0.14204E-03	0.26908E-02	0.26945E-02	356.9
	2	0.86037E-03	0.11994E-02	0.14761E-02	35.6
	3	0.47850E-03	-0.77620E-04	0.48476E-03	99.2
	4	-0.47605E-02	0.79711E-03	0.48268E-02	279.5
	5	-0.12538E-03	-0.88825E-03	0.89706E-03	188.0
	6	0.26624E-03	-0.43932E-04	0.26984E-03	99.3
	7	0.79668E-04	-0.18665E-03	0.20294E-03	156.8
	8	-0.86182E-04	-0.81152E-03	0.81608E-03	186.0
	9	0.12980E-03	-0.18578E-03	0.22664E-03	145.0
	10	0.89822E-04	0.17169E-03	0.19376E-03	27.6

MAX=-0.16869E-01 MIN=-0.35042E-01 PEAK TO PEAK/2= 0.90866E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 25  
TP 1  
CHAN 59

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.43192E-02	1	-0.10847E-02	-0.25037E-02	0.27286E-02	203.4
	2	-0.11936E-03	0.58352E-04	0.13286E-03	296.0
	3	0.27462E-02	0.15186E-02	0.31381E-02	61.0
	4	-0.10494E-03	-0.38324E-03	0.39735E-03	195.3
	5	-0.27800E-02	0.60648E-03	0.28454E-02	282.3
	6	0.34072E-03	0.51099E-03	0.61417E-03	33.6
	7	0.12983E-02	-0.20865E-02	0.24575E-02	148.1
	8	-0.55073E-03	-0.28669E-03	0.62088E-03	242.5
	9	0.85652E-03	0.26031E-02	0.27404E-02	18.2
	10	0.30889E-03	-0.44944E-03	0.54535E-03	145.5

MAX= 0.35162E-01 MIN=-0.17369E-01 PEAK TO PEAK/2= 0.26265E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	25
ENTERED	TP	1
OUT OF RANGE	CHAN	62
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.25470E-01	1	0.75121E-03	0.14713E-02	0.16520E-02	27.0
	2	0.43144E-03	0.82071E-03	0.92720E-03	27.7
	3	0.11674E-02	-0.22102E-02	0.24995E-02	152.1
	4	0.15965E-01	0.49261E-02	0.16708E-01	72.8
	5	-0.20414E-02	-0.59950E-03	0.21276E-02	253.6
	6	0.59929E-03	0.20305E-03	0.63276E-03	71.2
	7	0.96204E-03	0.94442E-03	0.13481E-02	45.5
	8	0.64558E-02	0.98516E-03	0.65306E-02	81.3
	9	-0.24969E-02	-0.94374E-03	0.26693E-02	249.2
	10	-0.54998E-03	-0.10346E-02	0.11717E-02	207.9

MAX= 0.57717E-01 MIN= 0.51457E-02 PEAK TO PEAK/2= 0.26285E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.4 WAVEFORM \*\*\*  
 \*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 25
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 47
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.41926E-02	1	-0.30528E-02	0.39488E-03	0.30782E-02	277.3
	2	0.80244E-03	-0.29699E-02	0.30764E-02	164.8
	3	-0.23695E-02	0.20718E-02	0.31476E-02	311.1
	4	0.12740E-01	-0.14873E-01	0.19584E-01	139.4
	5	0.87743E-04	0.38119E-02	0.38129E-02	1.3
	6	-0.18525E-02	-0.22090E-02	0.28830E-02	219.9
	7	0.25908E-02	0.16373E-02	0.30648E-02	57.7
	8	-0.11371E-02	-0.29504E-02	0.31619E-02	201.0
	9	0.31699E-02	0.20526E-05	0.31699E-02	89.9
	10	-0.22525E-02	0.21451E-02	0.31105E-02	313.6

MAX= 0.68906E-01 MIN=-0.23595E-01 PEAK TO PEAK/2= 0.46250E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	25
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	49
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.24782E 00	1	0.29318E-02	-0.46689E-03	0.29688E-02	99.0
	2	0.66623E-03	-0.18200E-02	0.19381E-02	159.8
	3	-0.70943E-03	-0.35680E-03	0.79411E-03	243.3
	4	-0.37941E-02	-0.62448E-02	0.73071E-02	211.2
	5	-0.30657E-03	-0.32761E-03	0.44868E-03	223.0
	6	-0.34538E-03	0.24818E-03	0.42531E-03	305.7
	7	-0.74721E-04	-0.38039E-04	0.83846E-04	243.0
	8	0.80418E-03	-0.34708E-03	0.87588E-03	113.3
	9	0.29253E-03	0.17154E-03	0.33911E-03	59.6
	10	0.25915E-03	-0.23865E-03	0.35230E-03	132.6

MAX=-0.23527E 00 MIN=-0.25727E 00 PEAK TO PEAK/2= 0.10998E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 25  
TP 1  
CHAN 53

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.64937E-01	1	0.87708E-04	0.32340E-03	0.33508E-03	15.1
	2	0.44183E-03	-0.26522E-03	0.51532E-03	120.9
	3	-0.31224E-03	-0.35626E-03	0.47373E-03	221.2
	4	-0.87585E-04	-0.13291E-02	0.13320E-02	183.7
	5	-0.24817E-03	-0.40536E-03	0.47529E-03	211.4
	6	-0.91015E-04	0.36506E-03	0.37623E-03	346.0
	7	-0.18924E-03	-0.14911E-03	0.24093E-03	231.7
	8	0.68383E-03	-0.11044E-02	0.12990E-02	148.2
	9	0.54201E-03	-0.36128E-03	0.65138E-03	123.6
	10	-0.23623E-03	-0.31055E-03	0.39019E-03	217.2

MAX= 0.67236E-01 MIN= 0.58815E-01 PEAK TC PEAK/2= 0.42102E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 26  
TP 1  
CHAN 51

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.14894E 00	1	0.18599E-02	0.92097E-03	0.20755E-02	63.6
	2	0.12037E-02	-0.57351E-03	0.13334E-02	115.4
	3	0.64698E-03	-0.80912E-03	0.10359E-02	141.3
	4	0.39411E-02	-0.28548E-02	0.48665E-02	125.9
	5	0.69521E-03	0.31415E-03	0.76289E-03	65.6
	6	-0.14840E-03	-0.28829E-03	0.32424E-03	207.2
	7	0.15564E-03	-0.29636E-03	0.33475E-03	152.2
	8	0.74533E-03	0.26672E-03	0.79162E-03	70.3
	9	-0.26210E-03	0.29423E-03	0.39405E-03	318.3
	10	0.25641E-03	-0.27340E-03	0.37483E-03	136.8

MAX= 0.15860E 00 MIN= 0.14259E 00 PEAK TO PEAK/2= 0.80063E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 26
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 57
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.92048E-01	1	0.14458E-02	0.82077E-02	0.83341E-02	9.9
	2	-0.17512E-01	0.34921E-01	0.39066E-01	333.3
	3	-0.12097E-02	-0.37197E-03	0.12656E-02	252.9
	4	0.71767E-02	-0.78308E-02	0.10622E-01	137.4
	5	0.12688E-02	-0.18620E-02	0.22532E-02	145.7
	6	0.39838E-01	0.24197E-02	0.39911E-01	86.5
	7	0.40406E-02	0.47521E-02	0.62377E-02	40.3
	8	-0.17649E-01	0.49702E-01	0.52743E-01	340.4
	9	-0.68585E-02	0.15594E-04	0.68585E-02	270.1
	10	-0.18080E-01	-0.35660E-01	0.39981E-01	206.8

MAX= 0.46368E 00 MIN= 0.42275E-01 PEAK TO PEAK/2= 0.21070E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 26  
TP 1  
CHAN 60

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.29591E-01	1	0.99633E-03	0.30341E-02	0.31935E-02	18.1
	2	0.29756E-02	0.10396E-02	0.31520E-02	70.7
	3	0.45437E-02	-0.15696E-02	0.48072E-02	109.0
	4	0.43604E-01	0.10965E-01	0.44961E-01	75.8
	5	0.49770E-03	0.35370E-02	0.35719E-02	8.0
	6	0.28567E-02	0.39855E-03	0.28844E-02	82.0
	7	0.34683E-02	-0.13030E-02	0.37050E-02	110.5
	8	0.20919E-01	0.81050E-02	0.22434E-01	68.8
	9	-0.74622E-03	0.19879E-02	0.21234E-02	339.4
	10	0.56760E-03	0.15152E-03	0.58748E-03	75.0

MAX= 0.12883E 00 MIN=-0.52586E-02 PEAK TO PEAK/2= 0.67047E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 37  
OUT OF RANGE 0  
BANDEdge 0

RUN 26  
TP 1  
CHAN 45

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.33235E-01	1	-0.20526E-02	0.52813E-02	0.56661E-02	338.7
	2	0.19402E-02	-0.26206E-02	0.32607E-02	143.4
	3	-0.33887E-02	-0.26100E-02	0.42774E-02	232.3
	4	0.39190E-01	-0.10962E-01	0.40694E-01	105.6
	5	0.49857E-02	0.24737E-02	0.55656E-02	63.6
	6	-0.15463E-02	-0.20447E-02	0.25636E-02	217.0
	7	-0.14095E-02	-0.26300E-02	0.29839E-02	208.1
	8	0.10147E-01	-0.35540E-02	0.10751E-01	109.3
	9	0.25571E-02	-0.53946E-03	0.26134E-02	101.9
	10	-0.31518E-03	0.31898E-02	0.32053E-02	354.3

MAX= 0.11056E 00 MIN=-0.38234E-03 PEAK TO PEAK/2= 0.55472E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 26  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.59101E 00	1	0.60860E-03	0.10773E-02	0.12373E-02	29.4
	2	0.12444E-02	-0.19867E-03	0.12602E-02	99.0
	3	0.22742E-03	-0.46788E-03	0.52022E-03	154.0
	4	-0.46536E-03	-0.20500E-02	0.21022E-02	192.7
	5	0.30116E-03	-0.43525E-03	0.52929E-03	145.3
	6	-0.85632E-03	-0.12801E-03	0.86583E-03	261.4
	7	0.15535E-03	-0.19381E-04	0.15656E-03	97.1
	8	0.12338E-03	-0.13622E-04	0.12412E-03	96.3
	9	0.76727E-05	-0.22407E-03	0.22420E-03	178.0
	10	-0.95449E-04	0.57954E-04	0.11166E-03	301.2

MAX= 0.59589E 00 MIN= 0.58329E 00 PEAK TO PEAK/2= 0.63030E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 26  
TP 1  
CHAN 54

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.60598E-01	1	-0.17367E-04	0.17050E-02	0.17051E-02	359.4
	2	0.66616E-03	0.46779E-03	0.81401E-03	54.9
	3	0.91095E-03	0.78619E-03	0.12033E-02	49.2
	4	-0.44317E-02	0.36623E-02	0.57492E-02	309.5
	5	-0.17284E-04	-0.44414E-03	0.44448E-03	182.2
	6	-0.57122E-03	-0.30772E-03	0.64883E-03	241.6
	7	-0.17195E-04	-0.16384E-04	0.23751E-04	226.3
	8	-0.29951E-03	-0.13544E-02	0.13871E-02	192.4
	9	-0.69115E-04	-0.79608E-04	0.10542E-03	220.9
	10	0.24596E-03	0.29993E-04	0.24778E-03	83.0

MAX= 0.70443E-01 MIN= 0.55308E-01 PEAK TO PEAK/2= 0.75677E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 26  
TP 1  
CHAN 56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.37118E-01	1	-0.45490E-03	0.35749E-02	0.36037E-02	352.7
	2	0.93403E-03	0.13193E-02	0.16165E-02	35.2
	3	0.24899E-02	0.10863E-02	0.27165E-02	66.4
	4	-0.40767E-02	0.21774E-01	0.22152E-01	349.3
	5	-0.20012E-02	-0.65856E-03	0.21067E-02	251.7
	6	-0.35281E-03	-0.43171E-04	0.35544E-03	263.0
	7	-0.10059E-02	0.47403E-03	0.11120E-02	295.2
	8	-0.73793E-02	-0.12981E-03	0.73804E-02	268.9
	9	0.29623E-03	-0.78494E-03	0.83898E-03	159.3
	10	-0.95618E-04	-0.11665E-03	0.15083E-03	219.3

MAX= 0.25564E-02 MIN=-0.55450E-01 PEAK TO PEAK/2= 0.29003E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	26
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	58
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.16476E-01	1	-0.99496E-03	0.26361E-02	0.28176E-02	339.3
	2	0.19661E-02	0.13258E-02	0.23714E-02	56.0
	3	0.36096E-02	-0.27677E-03	0.36202E-02	94.3
	4	0.13894E-01	0.27157E-01	0.30505E-01	27.0
	5	-0.30137E-02	0.14196E-02	0.33314E-02	295.2
	6	0.20229E-03	0.87747E-03	0.90048E-03	12.9
	7	0.70589E-03	0.83749E-03	0.10953E-02	40.1
	8	-0.50762E-02	0.13726E-01	0.14634E-01	339.7
	9	-0.19068E-03	-0.10771E-02	0.10939E-02	190.0
	10	-0.17850E-02	0.42394E-03	0.18347E-02	283.3

MAX= 0.44046E-01 MIN=-0.44895E-01 PEAK TO PEAK/2= 0.44471E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN TP	26
ENTERED	38	CHAN	61
OUT OF RANGE	0		
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.29269E-01	1	-0.44199E-03	0.28364E-02	0.28707E-02	351.1
	2	0.94892E-03	0.18744E-02	0.21009E-02	26.8
	3	0.28861E-02	-0.21741E-02	0.36133E-02	126.9
	4	0.39442E-01	0.17516E-01	0.43157E-01	66.0
	5	-0.11197E-02	0.31974E-02	0.33878E-02	340.7
	6	0.41380E-02	0.93809E-03	0.42430E-02	77.2
	7	0.25983E-02	-0.97554E-03	0.27754E-02	110.5
	8	0.17741E-01	0.10299E-01	0.20514E-01	59.8
	9	-0.14979E-02	0.12857E-02	0.19741E-02	310.6
	10	0.59494E-03	-0.16286E-02	0.17339E-02	159.9

MAX= 0.11142E 00 MIN=-0.19058E-01 PEAK TO PEAK/2= 0.65241E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 37  
OUT OF RANGE 0  
BANDEdge 0

RUN 26  
TP 1  
CHAN 46

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.19973E-01	1	-0.80053E-03	0.36889E-02	0.37747E-02	347.7
	2	0.26371E-03	-0.17623E-02	0.17819E-02	171.4
	3	-0.39921E-02	-0.39050E-02	0.55845E-02	225.6
	4	0.35908E-01	-0.12780E-01	0.38114E-01	109.5
	5	0.31807E-02	0.63680E-03	0.32438E-02	78.6
	6	-0.57390E-03	-0.13396E-02	0.14574E-02	203.1
	7	-0.36396E-02	-0.21099E-02	0.42070E-02	239.8
	8	0.83516E-02	-0.54647E-02	0.99806E-02	123.1
	9	0.52916E-03	0.33167E-03	0.62451E-03	57.9
	10	0.33521E-03	0.18231E-02	0.18537E-02	10.4

MAX= 0.90503E-01 MIN=-0.10508E-01 PEAK TO PEAK/2= 0.50506E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 37  
OUT OF RANGE 0  
BANDEdge 0

RUN 26  
TP 1  
CHAN 48

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.32697E 00	1	0.23077E-02	0.40515E-02	0.46627E-02	29.6
	2	0.19302E-02	-0.33235E-03	0.19586E-02	99.7
	3	-0.22423E-02	-0.47464E-03	0.22920E-02	258.0
	4	0.12555E-01	-0.21646E-01	0.25023E-01	149.8
	5	0.39174E-02	-0.13943E-02	0.41582E-02	109.5
	6	0.12036E-02	-0.13296E-02	0.17935E-02	137.8
	7	0.222243E-04	0.38555E-03	0.38619E-03	3.3
	8	-0.20194E-02	-0.58437E-02	0.61828E-02	199.0
	9	0.10198E-02	-0.16013E-02	0.18984E-02	147.5
	10	0.34148E-03	-0.13011E-02	0.13452E-02	165.2

MAX= 0.36663E 00 MIN= 0.30647E 00 PEAK TO PEAK/2= 0.30079E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 26  
TP 1  
CHAN 50

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.56777E 00	1	0.17231E-02	0.10279E-02	0.20064E-02	59.1
	2	0.11904E-02	-0.12306E-02	0.17122E-02	135.9
	3	-0.59143E-03	-0.75430E-03	0.95852E-03	218.0
	4	-0.27983E-02	-0.75566E-02	0.80581E-02	200.3
	5	0.62076E-03	-0.30172E-03	0.69020E-03	115.9
	6	-0.51264E-03	0.31757E-03	0.60304E-03	301.7
	7	0.17237E-03	0.41504E-03	0.44941E-03	22.5
	8	-0.46643E-03	0.76883E-04	0.47272E-03	279.3
	9	0.26967E-04	0.45706E-04	0.53068E-04	30.5
	10	-0.39791E-04	0.17879E-03	0.18317E-03	347.4

MAX= 0.57934E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.23795E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	26
ENTERED	TP	1
OUT OF RANGE	CHAN	55
BANDEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.24016E-01	1	-0.97697E-03	0.18430E-02	0.20859E-02	332.0
	2	0.54171E-03	0.61428E-03	0.81901E-03	41.4
	3	0.66663E-03	0.80434E-03	0.10446E-02	39.6
	4	-0.65618E-02	0.29999E-02	0.72151E-02	294.5
	5	-0.99957E-04	-0.53680E-03	0.54603E-03	190.5
	6	-0.25015E-03	-0.37996E-03	0.45491E-03	213.3
	7	-0.31067E-03	0.14289E-03	0.34195E-03	294.6
	8	-0.95673E-04	-0.14934E-02	0.14965E-02	183.6
	9	0.19276E-04	-0.10476E-03	0.10652E-03	169.5
	10	0.11097E-03	-0.98845E-04	0.14861E-03	131.6

MAX=-0.14092E-01 MIN=-0.31340E-01 PEAK TO PEAK/2= 0.86239E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	26
ENTRED	TP	1
OUT OF RANGE	CHAN	59
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.31677E-02	1	0.50578E-03	0.81926E-03	0.96281E-03	31.6
	2	0.95355E-04	-0.49801E-03	0.50706E-03	169.1
	3	-0.28307E-03	-0.84172E-04	0.29532E-03	253.4
	4	0.60421E-03	0.59800E-03	0.85011E-03	45.2
	5	0.60679E-03	-0.30434E-03	0.67883E-03	116.6
	6	-0.60060E-03	0.22566E-03	0.64160E-03	290.5
	7	0.35675E-03	0.22769E-03	0.42322E-03	57.4
	8	0.27814E-03	-0.24228E-03	0.36887E-03	131.0
	9	-0.56198E-03	0.34300E-03	0.65838E-03	301.3
	10	0.22969E-03	0.38262E-03	0.44627E-03	30.9

MAX= 0.58704E-02 MIN=-0.70203E-02 PEAK TO PEAK/2= 0.64453E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN 26
ENTERED 38		TP 1
OUT OF RANGE 0		CHAN 62
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.13218E-01	1	0.85423E-03	0.25800E-02	0.27177E-02	18.3
	2	0.19059E-02	-0.29275E-03	0.19283E-02	98.7
	3	0.71375E-03	-0.11099E-02	0.13196E-02	147.2
	4	0.20784E-01	0.13756E-01	0.24924E-01	56.5
	5	-0.14315E-02	0.38957E-03	0.14836E-02	285.2
	6	-0.60092E-03	-0.61112E-03	0.85707E-03	224.5
	7	0.68960E-03	-0.55193E-03	0.88328E-03	128.6
	8	0.73936E-02	0.58151E-02	0.94065E-02	51.8
	9	-0.57511E-03	-0.38628E-03	0.69280E-03	236.1
	10	-0.79451E-03	0.68855E-03	0.10513E-02	310.9

MAX= 0.58300E-01 MIN=-0.12466E-01 PEAK TO PEAK/2= 0.35383E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	26
ENTERED 37	TP	1
OUT OF RANGE 0	CHAN	47
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.16603E-01	1	0.31956E-02	0.23689E-02	0.39779E-02	53.4
	2	0.33513E-03	-0.19940E-03	0.38997E-03	120.7
	3	-0.26823E-02	-0.29142E-02	0.39608E-02	222.6
	4	0.20063E-01	-0.13643E-01	0.24263E-01	124.2
	5	0.11227E-02	-0.28036E-02	0.30200E-02	158.1
	6	0.71045E-04	-0.51280E-03	0.51770E-03	172.1
	7	-0.31548E-02	-0.36964E-03	0.31763E-02	263.3
	8	-0.68912E-03	-0.35974E-02	0.36628E-02	190.8
	9	-0.18567E-02	-0.24497E-04	0.18569E-02	269.2
	10	0.82170E-04	0.45830E-03	0.46560E-03	10.1

MAX= 0.32434E-01 MIN=-0.39255E-01 PEAK TO PEAK/2= 0.35845E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN 26
ENTERED 38		TP 1
OUT OF RANGE 0		CHAN 49
BANDEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.24325E 00	1	0.20345E-02	0.10477E-02	0.22885E-02	62.7
	2	0.77792E-03	-0.16558E-02	0.18294E-02	154.8
	3	-0.16565E-02	-0.26430E-03	0.16775E-02	260.9
	4	-0.46354E-02	-0.76146E-02	0.89146E-02	211.3
	5	0.64172E-03	-0.47090E-03	0.79596E-03	126.2
	6	-0.24793E-03	0.88459E-03	0.91867E-03	344.3
	7	0.28237E-03	0.41214E-03	0.49959E-03	34.4
	8	-0.78037E-03	0.29146E-03	0.83302E-03	290.4
	9	0.32544E-03	-0.22112E-03	0.39346E-03	124.1
	10	-0.10683E-03	0.54553E-04	0.11995E-03	297.0

MAX=-0.23126E 00 MIN=-0.25411E 00 PEAK TO PEAK/2= 0.11423E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	26
ENTERED	TP	1
OUT OF RANGE	CHAN	53
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.60713E-01	1	0.12925E-02	0.71053E-03	0.14749E-02	61.2
	2	0.74473E-03	-0.35627E-03	0.82557E-03	115.5
	3	0.24757E-03	-0.43992E-03	0.50479E-03	150.6
	4	-0.90320E-03	-0.16062E-02	0.18427E-02	209.3
	5	-0.34982E-03	-0.11385E-02	0.11910E-02	197.0
	6	-0.31001E-03	0.13745E-02	0.14091E-02	347.2
	7	0.75416E-04	-0.34180E-03	0.35003E-03	167.5
	8	0.10747E-02	-0.14065E-02	0.17702E-02	142.6
	9	0.41354E-03	-0.37854E-03	0.56063E-03	132.4
	10	0.41573E-04	-0.34884E-04	0.54270E-04	130.0

MAX= 0.65067E-01 MIN= 0.54095E-01 PEAK TO PEAK/2= 0.54860E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 27  
TP 1  
CHAN 51

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.14567E 00	1	0.14180E-02	0.14557E-02	0.20322E-02	44.2
	2	0.44033E-03	-0.11908E-03	0.45615E-03	105.1
	3	0.59494E-03	-0.10661E-02	0.12209E-02	150.8
	4	0.50335E-02	-0.16012E-02	0.52821E-02	107.6
	5	-0.67479E-04	0.60636E-03	0.61010E-03	353.6
	6	-0.95096E-05	-0.21695E-03	0.21716E-03	182.5
	7	0.40654E-03	-0.71782E-04	0.41283E-03	100.0
	8	0.13248E-02	0.87622E-04	0.13277E-02	86.2
	9	0.42824E-03	-0.68741E-04	0.43372E-03	99.1
	10	0.44735E-03	0.19807E-03	0.48924E-03	66.1

MAX= 0.15496E 00 MIN= 0.13895E 00 PEAK TO PEAK/2= 0.80063E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 27  
TP 1  
CHAN 57

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.71712E-01	1	-0.57225E-03	0.29630E-02	0.30177E-02	349.0
	2	0.13965E-02	0.13264E-03	0.14029E-02	84.5
	3	0.17749E-02	-0.12947E-02	0.21970E-02	126.1
	4	0.26333E-01	0.35316E-01	0.44053E-01	36.7
	5	-0.34859E-03	0.18759E-02	0.19080E-02	349.4
	6	0.89813E-03	0.39573E-03	0.98144E-03	66.2
	7	0.14859E-02	0.21357E-04	0.14861E-02	89.1
	8	-0.45887E-04	0.21997E-01	0.21997E-01	359.8
	9	-0.25173E-03	0.13499E-02	0.13732E-02	349.4
	10	-0.33856E-03	0.24302E-03	0.41675E-03	305.6

MAX= 0.15401E 00 MIN= 0.38005E-01 PEAK TO PEAK/2= 0.58004E-01



AZIMUTH POSITION IN DEGREES


UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	27
ENTERED	TP	1
OUT OF RANGE	CHAN	60
BANDEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.15977E-01	1	0.25133E-01	0.13164E-01	0.28372E-01	62.3
	2	-0.19569E-01	-0.18666E-01	0.27044E-01	226.3
	3	0.13194E-01	0.22150E-01	0.25782E-01	30.7
	4	0.46540E-01	-0.55851E-02	0.46874E-01	96.8
	5	-0.71193E-02	0.29463E-01	0.30311E-01	346.4
	6	0.17232E-01	-0.23090E-01	0.28811E-01	143.2
	7	-0.23280E-01	0.12973E-01	0.26651E-01	299.1
	8	0.50625E-01	0.12338E-01	0.52107E-01	76.3
	9	-0.26854E-01	-0.29493E-02	0.27015E-01	263.7
	10	0.24046E-01	0.14808E-01	0.28240E-01	58.3

MAX= 0.13833E 00 MIN=-0.50042E 00 PEAK TO PEAK/2= 0.31938E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 27
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 45
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.35124E-01	1	0.64425E-03	0.21931E-02	0.22858E-02	16.3
	2	-0.10074E-02	-0.27155E-02	0.28963E-02	200.3
	3	-0.13625E-02	-0.13681E-02	0.19308E-02	224.8
	4	0.48247E-01	-0.12816E-01	0.49920E-01	104.8
	5	0.34529E-02	0.14624E-02	0.37498E-02	67.0
	6	0.25268E-02	-0.25188E-02	0.35678E-02	134.9
	7	-0.39851E-03	-0.12511E-02	0.13131E-02	197.6
	8	0.16123E-01	-0.10619E-01	0.19306E-01	123.3
	9	0.19681E-02	0.95982E-04	0.19704E-02	87.2
	10	0.22479E-02	0.19666E-02	0.29867E-02	48.8

MAX= 0.12426E 00 MIN=-0.29950E-02 PEAK TO PEAK/2= 0.63629E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEDGE 0

RUN 27  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.58361E 00	1	0.48093E-03	0.12742E-02	0.13620E-02	20.6
	2	0.73672E-03	0.63806E-04	0.73948E-03	85.0
	3	0.23629E-03	-0.52101E-03	0.57209E-03	155.6
	4	-0.48603E-04	-0.14151E-02	0.14159E-02	181.9
	5	-0.35032E-03	0.27886E-03	0.44776E-03	308.5
	6	-0.51913E-03	-0.55719E-03	0.76155E-03	222.9
	7	0.15804E-03	-0.34845E-03	0.38261E-03	155.6
	8	0.15119E-02	-0.86987E-03	0.17442E-02	119.9
	9	0.19000E-03	0.30078E-03	0.35576E-03	32.2
	10	0.25817E-03	-0.50984E-04	0.26316E-03	101.1

MAX= 0.58842E 00 MIN= 0.57887E 00 PEAK TO PEAK/2= 0.47717E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN 27
ENTERED 38		TP 1
OUT OF RANGE 0		CHAN 54
BANDEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.61456E-01	1	0.12865E-03	0.16519E-02	0.16569E-02	4.4
	2	0.57573E-03	0.72780E-03	0.92799E-03	38.3
	3	0.45881E-03	0.55955E-03	0.72361E-03	39.3
	4	-0.48161E-02	0.41590E-02	0.63633E-02	310.8
	5	-0.36988E-03	-0.27066E-03	0.45834E-03	233.8
	6	-0.54293E-03	-0.52592E-03	0.75589E-03	225.9
	7	-0.10125E-03	0.56374E-04	0.11589E-03	299.1
	8	0.61380E-04	-0.18336E-02	0.18347E-02	178.0
	9	-0.22073E-03	-0.77270E-05	0.22087E-03	267.9
	10	-0.37236E-04	0.43801E-04	0.57490E-04	319.6

MAX= 0.72362E-01 MIN= 0.54959E-01 PEAK TO PEAK/2= 0.87018E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 27  
TP 1  
CHAN 56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.32072E-01	1	-0.10464E-02	0.29546E-02	0.31344E-02	340.4
	2	0.45953E-03	0.16652E-02	0.17274E-02	15.4
	3	0.22697E-02	0.96469E-03	0.24662E-02	66.9
	4	-0.64657E-02	0.25659E-01	0.26461E-01	345.8
	5	-0.14087E-02	-0.50245E-04	0.14096E-02	267.9
	6	-0.24599E-03	0.46228E-03	0.52366E-03	331.9
	7	0.17730E-03	0.11682E-02	0.11816E-02	8.6
	8	-0.79867E-02	-0.16124E-02	0.81479E-02	258.5
	9	0.57131E-04	0.82732E-04	0.10054E-03	34.6
	10	-0.53663E-03	-0.96960E-05	0.53672E-03	268.9

MAX= 0.96171E-02 MIN=-0.56059E-01 PEAK TO PEAK/2= 0.32838E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 27  
TP 1  
CHAN 58

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.15907E-01	1	-0.85934E-03	0.26326E-02	0.27693E-02	341.9
	2	0.16241E-02	0.11910E-02	0.20140E-02	53.7
	3	0.23206E-02	-0.13643E-02	0.26920E-02	120.4
	4	0.14622E-01	0.35155E-01	0.38075E-01	22.5
	5	-0.10441E-02	0.12203E-02	0.16060E-02	319.4
	6	0.12228E-02	0.44347E-03	0.13008E-02	70.0
	7	0.16020E-02	0.77395E-03	0.17791E-02	64.2
	8	-0.96513E-02	0.13887E-01	0.16911E-01	325.2
	9	-0.54545E-03	0.65976E-03	0.85603E-03	320.4
	10	-0.11440E-03	0.65413E-03	0.66406E-03	350.0

MAX= 0.54710E-01 MIN=-0.43986E-01 PEAK TO PEAK/2= 0.49348E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN 27
ENTERED 38		TP 1
OUT OF RANGE 0		CHAN 61
BANEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.33132E-01	1	-0.60335E-02	0.15816E-02	0.62374E-02	284.6
	2	0.10591E-01	0.93258E-02	0.14112E-01	48.6
	3	-0.65808E-03	-0.72495E-02	0.72793E-02	185.1
	4	0.46596E-01	0.33449E-01	0.57359E-01	54.3
	5	0.10175E-02	-0.25581E-02	0.27531E-02	158.3
	6	-0.62797E-02	0.91715E-02	0.11115E-01	325.6
	7	0.49417E-02	-0.34382E-02	0.60201E-02	124.8
	8	0.78449E-02	0.23122E-01	0.24416E-01	18.7
	9	0.54715E-02	0.15953E-02	0.56994E-02	73.7
	10	-0.91403E-02	-0.65374E-02	0.11237E-01	234.4

MAX= 0.18458E 00 MIN=-0.75123E-02 PEAK TO PEAK/2= 0.96046E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 27  
TP 1  
CHAN 46

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.22657E-01	1	0.17327E-03	0.26762E-02	0.26818E-02	3.7
	2	-0.10990E-02	-0.27171E-02	0.29309E-02	202.0
	3	-0.15779E-02	-0.17134E-02	0.23293E-02	222.6
	4	0.44175E-01	-0.14816E-01	0.46594E-01	108.5
	5	0.28211E-02	0.12897E-02	0.31020E-02	65.4
	6	0.29930E-02	-0.30719E-02	0.42889E-02	135.7
	7	-0.72440E-03	-0.10859E-02	0.13053E-02	213.7
	8	0.11367E-01	-0.11773E-01	0.16365E-01	136.0
	9	0.18690E-02	0.27373E-03	0.18889E-02	81.6
	10	0.30298E-02	0.20173E-02	0.36400E-02	56.3

MAX= 0.10301E 00 MIN=-0.16707E-01 PEAK TO PEAK/2= 0.59863E-01




AD-A061 361 BOEING VERTOL CO PHILADELPHIA PA  
INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFI--ETC(U)  
SEP 78 P F SHERIDAN

F/G 1/3  
DAAJ02-77-C-0020

UNCLASSIFIED

USARTL-TR-78-23B-VOL-2G NL

2 of 3  
AD  
A061 361



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 27  
TP 1  
CHAN 48

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.32915E 00	1	0.24699E-02	0.22946E-02	0.33714E-02	47.1
	2	0.14230E-02	-0.12123E-02	0.18694E-02	130.4
	3	-0.73438E-03	-0.75761E-03	0.10551E-02	224.1
	4	0.10067E-01	-0.27346E-01	0.29140E-01	159.7
	5	0.14618E-02	-0.10160E-02	0.17803E-02	124.8
	6	0.38184E-04	-0.49869E-03	0.50015E-03	175.6
	7	-0.52670E-04	-0.14371E-03	0.15306E-03	200.1
	8	-0.41113E-02	-0.59393E-02	0.72235E-02	214.6
	9	0.32070E-03	-0.11798E-02	0.12226E-02	164.7
	10	-0.11492E-03	-0.36506E-03	0.38273E-03	197.4

MAX= 0.37329E 00 MIN= 0.30323E 00 PEAK TO PEAK/2= 0.35032E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	27
ENTERED	38	TP	1
OUT OF RANGE	38	CHAN	50
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.57104E 00	1	0.15285E-02	0.10118E-02	0.18330E-02	56.4
	2	0.49420E-03	-0.60256E-03	0.77930E-03	140.6
	3	0.23186E-03	-0.40759E-03	0.46893E-03	150.3
	4	-0.17858E-02	-0.72959E-02	0.75113E-02	193.7
	5	-0.51672E-03	-0.14709E-03	0.53725E-03	254.1
	6	-0.29713E-03	0.55999E-04	0.30236E-03	280.6
	7	0.13016E-03	-0.37531E-04	0.13546E-03	106.0
	8	0.52569E-04	-0.10037E-02	0.10050E-02	177.0
	9	-0.74243E-04	-0.19377E-03	0.20751E-03	200.9
	10	-0.22264E-04	0.21757E-03	0.21871E-03	354.1

MAX= 0.58109E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.24672E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	ENTERED	38	RUN	27
	OUT OF RANGE	0	TP	1
	BANDEdge	0	CHAN	55

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.23581E-01	1	-0.70840E-03	0.20877E-02	0.22046E-02	341.2
	2	0.53847E-03	0.11143E-02	0.12376E-02	25.7
	3	0.51605E-03	0.95945E-03	0.10894E-02	28.2
	4	-0.73782E-02	0.31861E-02	0.80367E-02	293.3
	5	-0.19108E-03	-0.46827E-03	0.50576E-03	202.1
	6	-0.46460E-03	-0.42181E-03	0.62752E-03	227.7
	7	-0.30902E-03	-0.80777E-04	0.31941E-03	284.6
	8	0.18878E-03	-0.19468E-02	0.19560E-02	174.4
	9	-0.44387E-04	0.18028E-03	0.18567E-03	346.1
	10	0.68393E-04	0.13230E-05	0.68406E-04	88.8

MAX=-0.11652E-01 MIN=-0.31845E-01 PEAK TO PEAK/2= 0.10096E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 27
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 59
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.28890E-02	1	0.78731E-03	0.39200E-03	0.87951E-03	63.5
	2	-0.10721E-02	-0.81831E-03	0.13487E-02	232.6
	3	-0.23741E-04	0.10399E-02	0.10402E-02	358.6
	4	0.32934E-03	-0.11725E-02	0.12179E-02	164.3
	5	-0.45932E-03	0.13950E-02	0.14686E-02	341.7
	6	0.91155E-03	-0.70849E-03	0.11545E-02	127.8
	7	-0.11565E-02	0.50953E-03	0.12638E-02	293.7
	8	0.16764E-02	-0.13396E-03	0.16817E-02	94.5
	9	-0.13058E-02	-0.65166E-03	0.14594E-02	243.4
	10	0.63424E-03	0.67876E-03	0.92897E-03	43.0

MAX= 0.58704E-02 MIN=-0.19911E-01 PEAK TO PEAK/2= 0.12890E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	27
ENTERED 39	TP	1
OUT OF RANGE 0	CHAN	62
BANDEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.17711E-01	1	0.24558E-02	0.26698E-02	0.36275E-02	42.6
	2	0.61491E-02	0.29358E-02	0.68140E-02	64.4
	3	0.49638E-02	0.32731E-03	0.49745E-02	86.2
	4	0.31102E-01	0.11252E-01	0.33075E-01	70.1
	5	-0.28568E-02	0.19568E-02	0.34628E-02	304.4
	6	0.57773E-03	0.27308E-02	0.27912E-02	11.9
	7	0.87738E-03	-0.77974E-03	0.11737E-02	131.6
	8	0.10099E-01	0.45021E-02	0.11057E-01	65.9
	9	-0.42863E-02	-0.64101E-03	0.43340E-02	261.4
	10	-0.36555E-02	-0.29439E-03	0.36674E-02	265.3

MAX= 0.72040E-01 MIN=-0.94426E-02 PEAK TO PEAK/2= 0.40741E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	27
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	47
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.85025E-02	1	0.79542E-03	0.11173E-02	0.13715E-02	35.4
	2	-0.33527E-02	-0.38745E-02	0.51238E-02	220.8
	3	-0.14122E-02	-0.66586E-03	0.15613E-02	244.7
	4	0.25821E-01	-0.13372E-01	0.29079E-01	117.3
	5	0.29666E-02	0.47530E-03	0.30045E-02	80.8
	6	0.46577E-02	-0.46993E-02	0.66165E-02	135.2
	7	-0.13301E-02	-0.12154E-02	0.18017E-02	227.5
	8	-0.20375E-02	-0.72428E-02	0.75240E-02	195.7
	9	0.74617E-03	0.45933E-03	0.87622E-03	58.3
	10	0.43536E-02	0.28983E-02	0.52302E-02	56.3

MAX= 0.33270E-01 MIN=-0.39255E-01 PEAK TO PEAK/2= 0.36262E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	27
OUT OF RANGE	0	TP	1
BANDEdge	0	CHAN	49

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.23965E 00	1	0.17114E-02	0.46936E-03	0.17746E-02	74.6
	2	0.50583E-03	-0.13637E-02	0.14544E-02	159.6
	3	-0.29214E-03	-0.51025E-03	0.58796E-03	209.7
	4	-0.38935E-02	-0.86190E-02	0.94576E-02	204.3
	5	-0.37178E-03	0.95421E-06	0.37178E-03	270.1
	6	0.34174E-03	0.44286E-03	0.55939E-03	37.6
	7	0.18219E-03	0.92535E-04	0.20434E-03	63.0
	8	-0.11434E-03	-0.63225E-03	0.64251E-03	190.2
	9	0.13502E-04	-0.54698E-03	0.54715E-03	178.5
	10	-0.44631E-03	-0.22461E-03	0.49964E-03	243.2

MAX=-0.22756E 00 MIN=-0.25089E 00 PEAK TO PEAK/2= 0.11666E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	ENTERED	CYCLES	RUN	27
	OUT OF RANGE	0	TP	1
	BANDEdge	0	CHAN	53

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.57466E-01	1	0.53251E-03	0.11058E-02	0.12273E-02	25.7
	2	0.56380E-03	-0.27669E-03	0.62804E-03	116.1
	3	0.58988E-03	-0.87491E-04	0.59633E-03	98.4
	4	-0.95466E-03	-0.13081E-02	0.16194E-02	216.1
	5	-0.10502E-02	-0.16175E-03	0.10626E-02	261.2
	6	0.80846E-03	-0.80150E-04	0.81243E-03	95.6
	7	0.18990E-03	-0.41141E-03	0.45312E-03	155.2
	8	0.16873E-02	-0.20880E-02	0.26846E-02	141.0
	9	0.23325E-03	-0.20067E-03	0.30769E-03	130.7
	10	0.28090E-03	-0.43072E-03	0.51423E-03	146.8

MAX= 0.62707E-01 MIN= 0.51224E-01 PEAK TO PEAK/2= 0.57412E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 28  
TP 1  
CHAN 51

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.13730E 00	1	0.11193E-02	0.48265E-03	0.12189E-02	66.6
	2	0.98253E-03	-0.39455E-03	0.10587E-02	111.8
	3	0.32906E-03	-0.73224E-03	0.80278E-03	155.8
	4	0.44287E-02	-0.21398E-02	0.49186E-02	115.7
	5	0.11251E-03	0.33417E-03	0.35260E-03	18.6
	6	0.36072E-03	0.23317E-03	0.42952E-03	57.1
	7	-0.14864E-03	-0.20663E-03	0.25454E-03	215.7
	8	0.20214E-03	-0.19464E-03	0.28062E-03	133.9
	9	0.23371E-03	-0.15436E-03	0.28009E-03	123.4
	10	0.88551E-04	-0.35221E-03	0.36317E-03	165.8

MAX= 0.14494E 00 MIN= 0.13189E 00 PEAK TO PEAK/2= 0.65265E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 28  
TP 1  
CHAN 57

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.61537E-01	1	0.79914E-03	0.27400E-02	0.28542E-02	16.2
	2	0.15775E-02	-0.68910E-03	0.17214E-02	113.5
	3	0.18592E-02	-0.10094E-02	0.21156E-02	118.4
	4	0.31991E-01	0.35562E-01	0.47834E-01	41.9
	5	-0.26924E-03	0.16124E-02	0.16347E-02	350.5
	6	0.63282E-03	0.13421E-02	0.14838E-02	25.2
	7	0.11948E-02	0.80739E-04	0.11976E-02	86.1
	8	0.17193E-02	0.23153E-01	0.23216E-01	4.2
	9	0.78359E-04	0.70938E-03	0.71369E-03	6.3
	10	0.11583E-04	0.61199E-04	0.62285E-04	10.7

MAX= 0.14896E 00 MIN= 0.27970E-01 PEAK TO PEAK/2= 0.60495E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	28
ENTERED 38	TP	1
OUT OF RANGE 0	CHAN	60
BANDEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.23500E-01	1	-0.25907E-03	0.18385E-02	0.18566E-02	351.9
	2	0.18539E-02	-0.30607E-03	0.18790E-02	99.3
	3	0.3697E-02	-0.91115E-03	0.16431E-02	121.6
	4	0.57183E-01	0.23886E-01	0.61972E-01	67.3
	5	0.11542E-02	0.16265E-02	0.19945E-02	35.3
	6	0.13796E-02	0.20931E-03	0.13954E-02	81.3
	7	0.36675E-03	-0.39046E-03	0.53569E-03	136.7
	8	0.27930E-01	0.17863E-01	0.33154E-01	57.3
	9	0.16351E-02	0.13885E-02	0.21451E-02	49.6
	10	0.14934E-02	-0.10368E-04	0.14934E-02	90.3

MAX= 0.15201E 00 MIN=-0.20283E-01 PEAK TO PEAK/2= 0.86150E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	28
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	45
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.38971E-01	1	0.13573E-02	0.23281E-02	0.26949E-02	30.2
	2	0.56664E-03	-0.18922E-03	0.59740E-03	108.4
	3	0.10289E-02	-0.14083E-02	0.17442E-02	143.8
	4	0.55116E-01	-0.19901E-01	0.58599E-01	109.8
	5	0.20874E-02	0.90903E-03	0.22767E-02	66.4
	6	0.18837E-02	0.31738E-03	0.19102E-02	80.4
	7	0.25056E-04	-0.11027E-02	0.11030E-02	178.6
	8	0.20828E-01	-0.14702E-01	0.25495E-01	125.2
	9	0.23078E-02	-0.48264E-04	0.23083E-02	91.1
	10	0.62802E-03	-0.22357E-02	0.23222E-02	164.3

MAX= 0.14357E 00 MIN=-0.28676E-02 PEAK TO PEAK/2= 0.73219E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 28  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.58244E 00	1	0.18999E-02	0.10112E-02	0.21522E-02	61.9
	2	0.12624E-03	0.13704E-03	0.18633E-03	42.6
	3	-0.16095E-03	-0.74048E-03	0.75777E-03	192.2
	4	-0.11497E-02	-0.10241E-02	0.15397E-02	228.3
	5	-0.34150E-03	0.29471E-03	0.45109E-03	310.7
	6	-0.60236E-03	-0.97343E-04	0.61017E-03	260.8
	7	0.41541E-04	0.10797E-03	0.11569E-03	21.0
	8	0.20076E-03	-0.11513E-02	0.11686E-02	170.1
	9	0.54553E-04	-0.27127E-03	0.27671E-03	168.6
	10	-0.19577E-03	0.45252E-03	0.49306E-03	336.6

MAX= 0.58834E 00 MIN= 0.57823E 00 PEAK TO PEAK/2= 0.50566E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	28
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	54
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.60179E-01	1	0.14576E-03	0.13696E-02	0.13774E-02	6.0
	2	0.70596E-03	0.66529E-03	0.97005E-03	46.6
	3	0.28501E-03	0.34834E-03	0.45008E-03	39.2
	4	-0.59549E-02	0.57633E-02	0.82872E-02	314.0
	5	-0.43091E-03	-0.21741E-03	0.48265E-03	243.2
	6	-0.47082E-03	-0.95591E-04	0.48043E-03	258.5
	7	-0.23641E-03	0.83985E-04	0.25089E-03	289.5
	8	-0.95673E-03	-0.17095E-02	0.19590E-02	209.2
	9	-0.28650E-05	0.75313E-04	0.75367E-04	357.8
	10	0.29958E-04	0.13675E-03	0.13999E-03	12.3

MAX= 0.72450E-01 MIN= 0.52429E-01 PEAK TO PEAK/2= 0.10010E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	28
ENTERED 38	TP	1
DUT OF RANGE 0	CHAN	56
BANDEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.37661E-01	1	0.38321E-03	0.30548E-02	0.30788E-02	7.1
	2	0.12695E-02	0.95502E-03	0.15886E-02	53.0
	3	0.73638E-03	-0.33276E-04	0.73713E-03	92.5
	4	-0.57053E-02	0.28550E-01	0.29114E-01	348.6
	5	-0.78049E-03	0.34878E-03	0.85488E-03	294.0
	6	-0.47296E-03	0.34229E-03	0.58382E-03	305.8
	7	0.88424E-05	0.52849E-03	0.52856E-03	0.9
	8	-0.10068E-01	-0.10149E-02	0.10119E-01	264.2
	9	-0.12119E-03	0.11838E-03	0.16942E-03	314.3
	10	-0.31221E-03	0.21493E-03	0.37904E-03	304.5

MAX= 0.91910E-02 MIN=-0.61963E-01 PEAK TO PEAK/2= 0.35577E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 28  
TP 1  
CHAN 58

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.25596E-01	1	0.15641E-03	0.16171E-02	0.16246E-02	5.5
	2	0.68392E-02	-0.70033E-02	0.97888E-02	135.6
	3	0.21438E-02	-0.40724E-03	0.21821E-02	100.7
	4	0.15283E-01	0.20429E-01	0.25513E-01	36.8
	5	-0.14407E-02	0.97172E-03	0.17378E-02	303.9
	6	-0.82139E-02	-0.22009E-02	0.85037E-02	254.9
	7	0.13069E-02	-0.94587E-04	0.13103E-02	94.1
	8	-0.22577E-01	0.21174E-01	0.30953E-01	313.1
	9	-0.18360E-03	0.12186E-02	0.12324E-02	351.4
	10	0.34670E-03	0.11212E-01	0.11217E-01	1.7

MAX= 0.61798E-01 MIN=-0.66948E-01 PEAK TO PEAK/2= 0.64373E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 28
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 61
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.24199E-01	1	0.25547E-02	0.85412E-03	0.26937E-02	71.5
	2	0.62799E-02	-0.62925E-02	0.88900E-02	135.0
	3	0.14597E-02	-0.48887E-02	0.51020E-02	163.3
	4	0.47967E-01	0.21200E-01	0.52443E-01	66.1
	5	-0.16247E-02	-0.51479E-03	0.17043E-02	252.4
	6	-0.58501E-02	-0.28929E-02	0.65264E-02	243.6
	7	-0.22777E-02	-0.45914E-03	0.23235E-02	258.6
	8	0.15189E-01	0.23878E-01	0.28300E-01	32.4
	9	-0.12263E-02	0.36551E-02	0.38554E-02	341.4
	10	0.71766E-04	0.66086E-02	0.66090E-02	0.6

MAX= 0.12957E 00 MIN=-0.23646E-01 PEAK TO PEAK/2= 0.76610E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	28
ENTERED	TP	1
OUT OF RANGE	CHAN	46
BANDEDGE		

STFADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.30526E-01	1	0.99014E-03	0.26290E-02	0.28093E-02	20.6
	2	0.35677E-03	0.19100E-03	0.40469E-03	61.8
	3	0.82481E-03	-0.14119E-02	0.16352E-02	149.7
	4	0.50891E-01	-0.23349E-01	0.55991E-01	114.6
	5	0.21008E-02	0.61738E-03	0.21896E-02	73.6
	6	0.17591E-02	0.69051E-03	0.18898E-02	68.5
	7	-0.12865E-03	-0.10835E-02	0.10911E-02	186.7
	8	0.16099E-01	-0.16702E-01	0.23198E-01	136.0
	9	0.19360E-02	-0.24784E-03	0.19518E-02	97.2
	10	0.26516E-03	-0.19778E-02	0.19955E-02	172.3

MAX= 0.12840E 00 MIN=-0.10095E-01 PEAK TO PEAK/2= 0.69250E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	28
ENTERED	TP	1
OUT OF RANGE	CHAN	48
BANDEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.33771E 00	1	0.28663E-02	0.25785E-02	0.38555E-02	48.0
	2	0.19094E-02	-0.21396E-02	0.28677E-02	138.2
	3	-0.94454E-03	-0.14446E-02	0.17260E-02	213.1
	4	0.10746E-01	-0.33181E-01	0.34878E-01	162.0
	5	0.12560E-02	-0.11365E-02	0.16938E-02	132.1
	6	-0.36430E-03	-0.30111E-03	0.47264E-03	230.4
	7	-0.61618E-04	-0.19250E-03	0.20212E-03	197.7
	8	-0.63954E-02	-0.70973E-02	0.95537E-02	222.0
	9	0.11116E-03	-0.10971E-02	0.11027E-02	174.2
	10	-0.41829E-03	-0.33027E-03	0.53296E-03	231.7

MAX= 0.38909E 00 MIN= 0.30839E 00 PEAK TO PEAK/2= 0.40348E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 28
ENTERED 38	TP 1
OUT OF RANGE 38	CHAN 50
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.57161E 00	1	0.16030E-02	0.88462E-03	0.18309E-02	61.1
	2	0.47259E-03	-0.13277E-02	0.14093E-02	160.4
	3	-0.46014E-03	-0.42470E-04	0.46209E-03	264.7
	4	-0.35736E-02	-0.79056E-02	0.86758E-02	204.3
	5	-0.18992E-03	0.45329E-04	0.19526E-03	283.4
	6	-0.64788E-03	0.42971E-03	0.77743E-03	303.5
	7	0.16429E-03	0.99405E-04	0.19202E-03	58.8
	8	-0.80394E-03	-0.10753E-02	0.13426E-02	216.7
	9	0.25292E-03	0.15850E-03	0.29848E-03	57.9
	10	-0.31195E-03	0.30036E-03	0.43305E-03	313.9

MAX= 0.58434E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.26295E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 28  
TP  
CHAN 55

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.24349E-01	1	-0.34385E-04	0.13657E-02	0.13661E-02	358.5
	2	0.70112E-03	0.59678E-03	0.92072E-03	49.5
	3	0.29321E-03	0.59234E-03	0.66094E-03	26.3
	4	-0.83017E-02	0.53525E-02	0.98777E-02	302.8
	5	-0.53921E-03	-0.66921E-03	0.85941E-03	218.8
	6	-0.37061E-03	-0.90616E-04	0.38153E-03	256.2
	7	-0.48579E-04	0.95247E-04	0.10692E-03	332.9
	8	-0.61580E-03	-0.16002E-02	0.17146E-02	201.0
	9	0.72289E-04	0.25911E-03	0.26901E-03	15.5
	10	-0.24309E-03	0.12562E-04	0.24342E-03	272.9

MAX=-0.10643E-01 MIN=-0.33191E-01 PEAK TO PEAK/2= 0.11274E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	ENTERED	38	RUN	28
	OUT OF RANGE	0	TP	1
	BANDEDGE	0	CHAN	59

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.34575E-02	1	-0.13344E-03	-0.21858E-03	0.25609E-03	211.4
	2	0.27004E-04	-0.17409E-03	0.17617E-03	171.1
	3	0.22623E-03	0.22375E-03	0.31819E-03	45.3
	4	0.10180E-03	-0.21847E-04	0.10412E-03	102.1
	5	-0.51768E-04	0.20591E-03	0.21232E-03	345.8
	6	0.13212E-03	-0.20245E-04	0.13366E-03	98.7
	7	-0.19305E-03	-0.29116E-03	0.34934E-03	213.5
	8	0.40486E-03	0.32108E-03	0.51673E-03	51.5
	9	-0.29610E-03	0.56336E-04	0.30141E-03	280.7
	10	-0.18206E-04	0.26464E-04	0.32122E-04	325.4

MAX= 0.46600E-02 MIN= 0.19366E-02 PEAK TO PEAK/2= 0.13617E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 28
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 62
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.17695E-01	1	0.48468E-03	0.11103E-02	0.12115E-02	23.5
	2	0.32688E-02	-0.21203E-02	0.38963E-02	122.9
	3	0.11950E-02	-0.26810E-02	0.29353E-02	155.9
	4	0.27674E-01	0.19133E-01	0.33644E-01	55.3
	5	-0.65522E-03	0.52532E-03	0.83980E-03	308.7
	6	-0.25082E-02	-0.11869E-02	0.27749E-02	244.6
	7	0.42472E-04	-0.25707E-03	0.26056E-03	170.6
	8	0.75707E-02	0.13380E-01	0.15373E-01	29.5
	9	-0.90099E-04	0.17595E-02	0.17618E-02	357.0
	10	-0.85730E-04	0.38779E-02	0.38789E-02	358.7

MAX= 0.78618E-01 MIN=-0.20211E-01 PEAK TO PEAK/2= 0.49415E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.4 WAVEFORM \*\*\*  
 \*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
 ENTERED 38  
 OUT OF RANGE 0  
 BANDEdge 0

RUN 28  
 TP 1  
 CHAN 47

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.50261E-02	1	0.10756E-02	0.19459E-02	0.22234E-02	28.9
	2	-0.38373E-03	0.13332E-02	0.13873E-02	343.9
	3	-0.21143E-03	-0.18634E-02	0.18754E-02	186.4
	4	0.27613E-01	-0.26284E-01	0.38123E-01	133.5
	5	0.11153E-02	0.48349E-03	0.12156E-02	66.5
	6	0.26253E-02	0.91516E-03	0.27803E-02	70.7
	7	-0.40289E-03	-0.54832E-03	0.68042E-03	216.3
	8	0.18912E-02	-0.10069E-01	0.10245E-01	169.3
	9	0.16724E-02	-0.44601E-03	0.17309E-02	104.9
	10	0.61013E-03	-0.29070E-02	0.29703E-02	168.1

MAX= 0.62920E-01 MIN=-0.25961E-01 PEAK TO PEAK/2= 0.44441E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 28  
TP 1  
CHAN 49

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.23536E 00	1	0.21896E-02	0.85862E-03	0.23519E-02	68.5
	2	0.10836E-02	-0.17871E-02	0.20900E-02	148.7
	3	-0.90361E-03	-0.39603E-03	0.98659E-03	246.3
	4	-0.57250E-02	-0.10224E-01	0.11718E-01	209.2
	5	0.13527E-03	-0.44041E-03	0.46072E-03	162.9
	6	-0.75020E-03	0.63577E-03	0.98337E-03	310.2
	7	0.18402E-03	-0.29338E-03	0.34632E-03	147.9
	8	-0.69657E-03	-0.55807E-04	0.69880E-03	265.4
	9	-0.18473E-03	-0.78563E-04	0.20075E-03	246.9
	10	-0.22059E-03	0.25438E-03	0.33671E-03	319.0

MAX=-0.21905E 00 MIN=-0.24773E 00 PEAK TO PEAK/2= 0.14340E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	28
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	53
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.48554E-01	1	0.50843E-03	0.41626E-03	0.65710E-03	50.6
	2	0.81126E-03	-0.33861E-03	0.87909E-03	112.6
	3	-0.30629E-03	-0.47135E-03	0.56212E-03	213.0
	4	-0.12305E-02	-0.54294E-03	0.13449E-02	246.1
	5	-0.72623E-03	-0.32859E-03	0.79711E-03	245.6
	6	-0.91667E-03	0.46358E-03	0.10272E-02	296.8
	7	0.29801E-04	0.20043E-03	0.20264E-03	8.4
	8	0.27080E-04	-0.98230E-03	0.98268E-03	178.4
	9	0.13969E-03	0.74554E-04	0.15834E-03	61.9
	10	0.87587E-04	0.56770E-04	0.10437E-03	57.0

MAX= 0.52245E-01 MIN= 0.43824E-01 PEAK TO PEAK/2= 0.42102E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN 29
ENTERED 38		TP 1
OUT OF RANGE 0		CHAN 51
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.12859E 00	1	0.14873E-02	0.22125E-04	0.14874E-02	89.1
	2	0.58290E-03	-0.71593E-03	0.92322E-03	140.8
	3	0.32912E-03	-0.60525E-03	0.68895E-03	151.4
	4	0.45239E-02	-0.34777E-02	0.57062E-02	127.5
	5	0.31770E-03	-0.47112E-03	0.56824E-03	146.0
	6	0.11623E-04	0.29190E-04	0.31420E-04	21.7
	7	0.96371E-04	-0.24873E-03	0.26675E-03	158.8
	8	0.79867E-03	-0.58619E-03	0.99071E-03	126.2
	9	0.38231E-03	-0.23886E-03	0.45079E-03	121.9
	10	-0.31218E-04	0.12734E-03	0.13111E-03	346.2

MAX= 0.13819E 00 MIN= 0.12278E 00 PEAK TO PEAK/2= 0.77028E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 2  
BANDEDGE 2

RUN 29  
TP 1  
CHAN 57

HARMONIC ANALYSIS SKIPPED



B888	A	N	N	DDDD	EEEE	DDDD	GGGG	EEEE
B	A A	NN	N	D D	E	O O	G	E
B888	A A	N N	N	D D	EEE	D D	G G	EEE
B	AAAAA	NN	D	D	E	D D	G G	E
B888	A A	N N	DDDD	EEEE	DDDD	GGGG	EEEE	


UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PSD13.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	29
ENTERED	TP	1
OUT OF RANGE	CHAN	60
BANDEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.19280E-01	1	-0.11419E-01	0.48250E-02	0.12397E-01	292.9
	2	0.10484E-01	-0.68639E-02	0.12531E-01	123.2
	3	-0.70188E-02	0.81177E-02	0.10731E-01	319.1
	4	0.72620E-01	0.23486E-01	0.76323E-01	72.0
	5	0.16237E-02	0.12182E-01	0.12289E-01	7.5
	6	-0.19632E-03	-0.11310E-01	0.11312E-01	180.9
	7	0.48567E-02	0.98404E-02	0.10973E-01	26.2
	8	0.24501E-01	0.16994E-01	0.29818E-01	55.2
	9	0.11707E-01	0.61139E-02	0.13207E-01	62.4
	10	-0.96107E-02	-0.20947E-02	0.98364E-02	257.7

MAX= 0.18523E 00 MIN=-0.41746E-01 PEAK TO PEAK/2= 0.11348E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	29
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	45
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.36640E-01	1	-0.10164E-02	0.33789E-03	0.10711E-02	288.3
	2	-0.18337E-02	0.77440E-03	0.19905E-02	292.8
	3	0.32875E-03	0.16824E-02	0.17142E-02	11.0
	4	0.73284E-01	-0.25684E-01	0.77655E-01	109.3
	5	0.39600E-04	-0.70919E-04	0.81226E-04	150.8
	6	0.11812E-02	0.26998E-02	0.29470E-02	23.6
	7	0.18693E-02	0.13646E-02	0.23145E-02	53.8
	8	0.26532E-01	-0.22945E-01	0.35077E-01	130.8
	9	0.59229E-03	0.20023E-02	0.20881E-02	16.4
	10	0.37044E-02	0.46761E-03	0.37338E-02	82.8

MAX= 0.16434E 00 MIN=-0.17587E-01 PEAK TO PEAK/2= 0.90966E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	29
ENTERED 38	TP	1
OUT OF RANGE 38	CHAN	52
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.56834E 00	1	0.10735E-02	0.93438E-03	0.14232E-02	48.9
	2	0.46870E-03	-0.10280E-02	0.11298E-02	155.4
	3	-0.31383E-04	-0.13027E-03	0.13399E-03	193.5
	4	-0.97629E-03	-0.19936E-02	0.22199E-02	206.0
	5	0.53959E-03	0.23691E-03	0.58931E-03	66.2
	6	-0.31143E-03	-0.16248E-03	0.35127E-03	242.4
	7	0.46996E-03	-0.27695E-03	0.54549E-03	120.5
	8	-0.14307E-03	-0.46520E-03	0.48671E-03	197.0
	9	0.30969E-03	-0.73430E-04	0.31827E-03	103.3
	10	-0.32104E-03	-0.14263E-03	0.35130E-03	246.0

MAX= 0.57296E 00 MIN= 0.56363E 00 PEAK TO PEAK/2= 0.46649E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	29
ENTERED	TP	1
OUT OF RANGE	CHAN	54
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.62396E-01	1	-0.20026E-03	0.15638E-02	0.15765E-02	352.7
	2	0.57854E-03	0.63086E-03	0.85598E-03	42.5
	3	0.24982E-03	0.13998E-03	0.28637E-03	60.7
	4	-0.65542E-02	0.62844E-02	0.90803E-02	313.7
	5	-0.16876E-04	0.13181E-03	0.13289E-03	352.7
	6	-0.43027E-03	-0.31488E-04	0.43142E-03	265.8
	7	-0.25743E-03	0.74789E-05	0.25754E-03	271.6
	8	-0.14217E-02	-0.16860E-02	0.22054E-02	220.1
	9	-0.31867E-03	0.36186E-03	0.48218E-03	318.6
	10	0.18025E-03	0.13235E-03	0.22363E-03	53.7

MAX= 0.75241E-01 MIN= 0.51993E-01 PEAK TO PEAK/2= 0.11624E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	29
OUT OF RANGE	0	TP	1
BANDEdge	0	CHAN	56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.36338E-01	1	0.13841E-02	0.16029E-02	0.21178E-02	40.8
	2	0.16722E-02	0.97389E-03	0.19351E-02	59.7
	3	0.10064E-02	0.10291E-02	0.14394E-02	44.3
	4	-0.44447E-02	0.32939E-01	0.33238E-01	352.3
	5	-0.33450E-03	0.13399E-02	0.13811E-02	345.9
	6	-0.45554E-03	0.62595E-03	0.77416E-03	323.9
	7	0.13104E-03	0.84494E-03	0.85504E-03	8.8
	8	-0.12308E-01	-0.13326E-02	0.12380E-01	263.8
	9	-0.32527E-03	0.18979E-03	0.37660E-03	300.2
	10	-0.75748E-03	0.13735E-03	0.76983E-03	280.2

MAX= 0.22034E-01 MIN=-0.62146E-01 PEAK TO PEAK/2= 0.42090E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	29
ENTERED	TP	1
OUT OF RANGE	CHAN	58
BANDEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.35901E-01	1	-0.15707E-02	0.11883E-02	0.19695E-02	307.1
	2	-0.14183E-02	0.15249E-02	0.20825E-02	317.0
	3	0.89765E-03	0.14776E-02	0.17289E-02	31.2
	4	0.26173E-01	0.35551E-01	0.44147E-01	36.3
	5	0.74986E-04	0.25173E-02	0.25184E-02	1.7
	6	-0.29097E-03	0.35544E-02	0.35663E-02	355.3
	7	0.23274E-02	0.11402E-02	0.25917E-02	63.8
	8	-0.11780E-01	0.13418E-01	0.17856E-01	318.7
	9	0.68963E-03	0.24805E-02	0.25746E-02	15.5
	10	0.14655E-02	0.48470E-02	0.50637E-02	16.8

MAX= 0.48893E-01 MIN=-0.71432E-01 PEAK TO PEAK/2= 0.60163E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 29
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 61
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.19645E-01	1	-0.77528E-03	0.12610E-02	0.14802E-02	328.4
	2	0.24556E-02	-0.93123E-03	0.26262E-02	110.7
	3	0.83047E-03	-0.10147E-02	0.13112E-02	140.7
	4	0.57561E-01	0.37274E-01	0.68576E-01	57.0
	5	0.16393E-02	0.12667E-02	0.20717E-02	52.3
	6	0.19036E-02	-0.24531E-02	0.31051E-02	142.1
	7	0.63307E-03	-0.52739E-03	0.82396E-03	129.7
	8	0.24852E-01	0.29152E-01	0.38308E-01	40.4
	9	0.13728E-02	0.16018E-02	0.21096E-02	40.5
	10	0.13494E-03	-0.16071E-02	0.16127E-02	175.2

MAX= 0.15216E 00 MIN=-0.28637E-01 PEAK TO PEAK/2= 0.90399E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 29  
TP 1  
CHAN 46

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.31393E-01	1	0.11904E-02	0.27880E-02	0.30315E-02	23.1
	2	-0.21364E-02	0.74040E-03	0.22610E-02	289.1
	3	0.32781E-03	-0.17466E-02	0.17771E-02	169.3
	4	0.64979E-01	-0.28439E-01	0.70930E-01	113.6
	5	0.29999E-02	-0.59272E-03	0.30579E-02	101.1
	6	0.78737E-03	0.32950E-02	0.33878E-02	13.4
	7	0.19290E-03	-0.75131E-03	0.77568E-03	165.6
	8	0.20619E-01	-0.21263E-01	0.29619E-01	135.8
	9	0.17820E-02	-0.10323E-02	0.20594E-02	120.0
	10	0.37315E-02	0.10886E-02	0.38871E-02	73.7

MAX= 0.14576E 00 MIN=-0.19068E-01 PEAK TO PEAK/2= 0.82415E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 29  
TP 1  
CHAN 48

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.33275E 00	1	0.40966E-02	0.26142E-02	0.48597E-02	57.4
	2	0.16982E-02	-0.14392E-02	0.22261E-02	130.2
	3	-0.47872E-03	-0.19234E-02	0.19821E-02	193.9
	4	0.13564E-01	-0.39399E-01	0.41669E-01	161.0
	5	0.20032E-02	-0.26803E-02	0.33462E-02	143.2
	6	0.21898E-03	-0.90602E-03	0.93211E-03	166.4
	7	-0.26780E-03	-0.20513E-03	0.33734E-03	232.5
	8	-0.68818E-02	-0.87675E-02	0.11145E-01	218.1
	9	-0.37312E-03	-0.12933E-02	0.13461E-02	196.0
	10	-0.41146E-03	-0.59881E-03	0.72655E-03	214.4

MAX= 0.39635E 00 MIN= 0.29746E 00 PEAK TC PEAK/2= 0.49442E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	29
OUT OF RANGE	38	TP	
BANDEDGE	0	CHAN	50

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.57563E 00	1	0.22590E-02	0.64025E-03	0.23480E-02	74.1
	2	0.95315E-03	-0.11837E-02	0.15197E-02	141.1
	3	-0.49541E-03	-0.74978E-03	0.89867E-03	213.4
	4	-0.33864E-02	-0.96224E-02	0.10200E-01	199.3
	5	0.32425E-03	-0.83763E-03	0.89820E-03	158.8
	6	-0.35793E-03	0.10905E-03	0.37417E-03	286.9
	7	0.13013E-03	-0.85231E-04	0.15556E-03	123.2
	8	-0.12283E-02	-0.42471E-03	0.12997E-02	250.9
	9	-0.17518E-03	0.34134E-03	0.38367E-03	332.8
	10	0.12937E-03	-0.49441E-04	0.13850E-03	110.9

MAX= 0.59265E 00 MIN= 0.53175E 00 PEAK TC PEAK/2= 0.30450E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	29
ENTERED 38	TP	1
OUT OF RANGE 0	CHAN	55
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.26165E-01	1	-0.29010E-03	0.15417E-02	0.15688E-02	349.3
	2	0.46213E-03	0.79430E-03	0.91896E-03	30.1
	3	-0.21050E-04	0.22417E-03	0.22516E-03	354.6
	4	-0.89319E-02	0.63899E-02	0.10982E-01	305.5
	5	-0.18463E-04	0.60247E-04	0.63013E-04	342.9
	6	-0.32349E-03	0.55183E-04	0.32817E-03	279.6
	7	-0.15661E-03	0.15937E-03	0.22344E-03	315.5
	8	-0.11211E-02	-0.19787E-02	0.22742E-02	209.5
	9	-0.12073E-03	0.18795E-03	0.22339E-03	327.2
	10	0.13180E-03	0.13970E-03	0.19206E-03	43.3

MAX=-0.11316E-01 MIN=-0.37735E-01 PEAK TO PEAK/2= 0.13209E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 29
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 59
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.37379E-02	1	-0.11408E-02	0.54262E-03	0.12633E-02	295.4
	2	0.84490E-03	-0.58501E-03	0.10276E-02	124.6
	3	-0.76490E-03	0.53197E-03	0.93170E-03	304.8
	4	0.83790E-03	-0.74419E-03	0.11206E-02	131.6
	5	-0.13944E-03	0.15008E-02	0.15072E-02	354.6
	6	-0.31287E-03	-0.99459E-03	0.10426E-02	197.4
	7	0.11762E-04	0.72980E-03	0.72990E-03	0.9
	8	-0.67026E-03	-0.94671E-03	0.11599E-02	215.2
	9	0.86458E-03	0.53676E-03	0.10176E-02	58.1
	10	-0.63131E-03	-0.25787E-03	0.68194E-03	247.7

MAX= 0.23905E-01 MIN= 0.16945E-02 PEAK TO PEAK/2= 0.11105E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN TP	29
ENTERED	38	CHAN	1
OUT OF RANGE	0		
BANDEDGE	0		62

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.28055E-01	1	-0.17915E-02	0.23184E-02	0.29299E-02	322.3
	2	0.19995E-03	-0.47525E-03	0.51560E-03	157.1
	3	0.11509E-02	-0.75643E-03	0.13772E-02	123.3
	4	0.34092E-01	0.28007E-01	0.44121E-01	50.5
	5	0.26819E-03	0.15689E-02	0.15917E-02	9.7
	6	0.19632E-03	-0.19325E-03	0.27548E-03	134.5
	7	0.12672E-02	-0.11793E-02	0.17311E-02	132.9
	8	0.84757E-02	0.16684E-01	0.18713E-01	26.9
	9	-0.21248E-03	0.16626E-02	0.16761E-02	352.7
	10	0.35963E-04	0.46838E-03	0.46975E-03	4.3

MAX= 0.10912E 00 MIN=-0.73207E-02 PEAK TO PEAK/2= 0.58221E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 29
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 47
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.15318E-01	1	0.24730E-02	0.45960E-02	0.52191E-02	28.2
	2	0.95509E-03	-0.60065E-03	0.11282E-02	122.1
	3	-0.75972E-03	-0.28470E-02	0.29466E-02	194.9
	4	0.38617E-01	-0.32382E-01	0.50397E-01	129.9
	5	0.36786E-02	-0.93783E-03	0.37962E-02	104.3
	6	0.64412E-03	-0.16000E-03	0.66370E-03	103.9
	7	-0.14123E-02	-0.43921E-03	0.14790E-02	252.7
	8	0.43325E-02	-0.14899E-01	0.15516E-01	163.7
	9	0.14603E-02	-0.20678E-02	0.25315E-02	144.7
	10	0.53956E-03	-0.32616E-03	0.63048E-03	121.1

MAX= 0.97791E-01 MIN=-0.25961E-01 PEAK TO PEAK/2= 0.61876E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 29
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 49
BANDEDGE 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.23116E 00	1	0.30888E-02	0.96148E-03	0.32350E-02	72.7
	2	0.37456E-03	-0.13069E-02	0.13595E-02	164.0
	3	-0.10954E-02	-0.51808E-03	0.12117E-02	244.6
	4	-0.61657E-02	-0.11889E-01	0.13392E-01	207.4
	5	0.90729E-04	-0.11097E-02	0.11134E-02	175.3
	6	-0.53414E-04	0.33299E-03	0.33725E-03	350.8
	7	0.53569E-04	-0.24020E-04	0.58707E-04	114.1
	8	-0.11202E-02	0.50916E-03	0.12305E-02	294.4
	9	-0.38256E-04	0.38708E-03	0.38896E-03	354.3
	10	0.14767E-03	-0.54738E-05	0.14777E-03	92.1

MAX=-0.21158E 00 MIN=-0.24627E 00 PEAK TO PEAK/2= 0.17348E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	29
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	53
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.44580E-01	1	0.61899E-03	0.13133E-02	0.14519E-02	25.2
	2	0.71331E-03	-0.92820E-05	0.71337E-03	90.7
	3	0.54582E-03	-0.28589E-03	0.61616E-03	117.6
	4	-0.16048E-02	-0.45626E-03	0.16684E-02	254.1
	5	0.51323E-03	-0.11306E-03	0.52554E-03	102.4
	6	0.84044E-03	0.10293E-02	0.13288E-02	39.2
	7	-0.13004E-03	-0.70366E-03	0.71558E-03	190.4
	8	0.32779E-03	-0.10449E-02	0.10951E-02	162.5
	9	0.38561E-03	0.12871E-04	0.38583E-03	88.0
	10	0.21068E-03	0.66964E-04	0.22107E-03	72.3

MAX= 0.49885E-01 MIN= 0.39231E-01 PEAK TC PEAK/2= 0.53266E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 30
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 51
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.10926E 00	1	0.24773E-02	-0.51067E-03	0.25293E-02	101.6
	2	0.13557E-02	-0.17833E-02	0.22401E-02	142.7
	3	-0.21185E-03	-0.87594E-03	0.90120E-03	193.5
	4	0.57634E-02	-0.45444E-02	0.73395E-02	128.2
	5	0.49987E-03	-0.10037E-03	0.50985E-03	101.3
	6	0.44892E-03	-0.20279E-03	0.49260E-03	114.3
	7	0.10954E-04	-0.56790E-04	0.57837E-04	169.0
	8	0.13923E-02	0.59784E-03	0.15152E-02	66.7
	9	0.22147E-03	-0.43899E-03	0.49170E-03	153.2
	10	0.19955E-03	-0.41251E-03	0.45824E-03	154.1

MAX= 0.12339E 00 MIN= 0.99491E-01 PEAK TO PEAK/2= 0.11952E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	30
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	57
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.26975E-01	1	0.30246E-02	0.22086E-02	0.37452E-02	53.8
	2	0.25941E-02	0.11140E-02	0.28231E-02	66.7
	3	0.21271E-02	0.76333E-03	0.22600E-02	70.2
	4	0.36827E-01	0.43857E-01	0.57269E-01	40.0
	5	0.86604E-03	0.17822E-02	0.19815E-02	25.9
	6	0.14984E-02	0.32416E-02	0.35712E-02	24.8
	7	-0.13610E-02	0.37973E-02	0.40339E-02	340.2
	8	0.48859E-02	0.31927E-01	0.32298E-01	8.7
	9	-0.53240E-03	0.20172E-02	0.20862E-02	345.2
	10	-0.85107E-03	0.14193E-02	0.16549E-02	329.0

MAX= 0.17052E 00 MIN=-0.16654E-01 PEAK TC PEAK/2= 0.93590E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	30
ENTERED	TP	1
OUT OF RANGE	CHAN	60
BANDEdge		
0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.20080E-02	1	-0.13937E-03	-0.22664E-04	0.14120E-03	260.7
	2	0.45946E-02	0.13004E-02	0.47751E-02	74.1
	3	-0.85330E-04	-0.59397E-04	0.10396E-03	235.1
	4	0.78333E-01	0.40669E-01	0.88262E-01	62.5
	5	0.11579E-02	0.37120E-03	0.12159E-02	72.2
	6	0.27076E-02	-0.25597E-03	0.27196E-02	95.4
	7	-0.96809E-03	0.10197E-02	0.14060E-02	316.4
	8	0.41719E-01	0.30271E-01	0.51544E-01	54.0
	9	0.46853E-03	0.24305E-03	0.52782E-03	62.5
	10	0.30363E-02	-0.94927E-04	0.30378E-02	91.7

MAX= 0.18126E 00 MIN=-0.64874E-01 PEAK TO PEAK/2= 0.12306E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	30
ENTERED 38	TP	1
OUT OF RANGE 0	CHAN	45
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.29740E-01	1	0.91431E-03	0.50519E-02	0.51340E-02	10.2
	2	0.10544E-01	0.17502E-02	0.10689E-01	80.5
	3	0.14596E-02	-0.34058E-02	0.37054E-02	156.8
	4	0.91978E-01	-0.14077E-01	0.93050E-01	98.7
	5	0.95236E-03	-0.80049E-04	0.95572E-03	94.8
	6	0.11072E-02	0.30554E-02	0.32499E-02	19.9
	7	0.20286E-02	0.76972E-04	0.20301E-02	87.8
	8	0.26406E-01	-0.14763E-01	0.30253E-01	119.2
	9	-0.45787E-03	-0.21144E-02	0.21634E-02	192.2
	10	-0.65501E-02	-0.22880E-02	0.69382E-02	250.7

MAX= 0.18722E 00 MIN=-0.40974E-01 PEAK TO PEAK/2= 0.11409E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 30  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.55200E 00	1	0.17476E-02	0.22797E-03	0.17624E-02	82.5
	2	0.66153E-03	-0.67467E-03	0.94488E-03	135.5
	3	-0.40576E-03	0.31067E-03	0.51104E-03	307.4
	4	-0.80037E-03	-0.14773E-02	0.16802E-02	208.4
	5	0.93251E-03	-0.14149E-02	0.16945E-02	146.6
	6	0.56460E-03	0.38517E-03	0.68347E-03	55.6
	7	-0.53220E-03	0.10657E-03	0.54277E-03	281.3
	8	-0.33175E-03	-0.83434E-03	0.89788E-03	201.6
	9	-0.18887E-03	0.44480E-03	0.48324E-03	336.9
	10	0.36351E-03	0.87660E-04	0.37393E-03	76.4

MAX= 0.55701E 00 MIN= 0.54583E 00 PEAK TO PEAK/2= 0.55907E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 30  
TP 1  
CHAN 54

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.63671E-01	1	0.17596E-02	0.22963E-02	0.28930E-02	37.4
	2	0.15067E-02	0.49579E-03	0.15862E-02	71.7
	3	-0.25353E-03	0.50701E-03	0.56687E-03	333.4
	4	-0.66377E-02	0.70908E-02	0.97128E-02	316.8
	5	-0.20628E-03	0.19440E-03	0.28346E-03	313.3
	6	-0.27783E-03	0.43714E-03	0.51796E-03	327.5
	7	0.25536E-04	0.44025E-04	0.50895E-04	30.1
	8	-0.15962E-02	-0.16616E-02	0.23041E-02	223.8
	9	-0.24718E-03	0.12559E-03	0.27726E-03	296.9
	10	-0.18103E-03	0.11743E-04	0.18141E-03	273.7

MAX= 0.79516E-01 MIN= 0.51600E-01 PEAK TO PEAK/2= 0.13957E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	30
OUT OF RANGE	0	TP	1
BANDEdge	0	CHAN	56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.42644E-01	1	0.11298E-02	0.11580E-02	0.16179E-02	44.2
	2	0.29343E-02	0.21287E-02	0.36252E-02	54.0
	3	0.88712E-03	0.12560E-02	0.15377E-02	35.2
	4	-0.13060E-03	0.36478E-01	0.36479E-01	359.7
	5	-0.82661E-03	0.87381E-03	0.12028E-02	316.5
	6	-0.14846E-02	0.19187E-02	0.24260E-02	322.2
	7	-0.10725E-03	-0.62296E-04	0.12403E-03	239.8
	8	-0.14699E-01	0.79464E-03	0.14721E-01	273.0
	9	-0.22397E-03	0.11678E-03	0.25259E-03	297.5
	10	-0.25686E-03	-0.43310E-04	0.26048E-03	260.4

MAX= 0.24468E-01 MIN=-0.68963E-01 PEAK TC PEAK/2= 0.46716E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	30
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	58
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.57445E-01	1	0.96783E-04	0.21638E-02	0.21659E-02	2.5
	2	0.28289E-02	0.14350E-02	0.31721E-02	63.1
	3	0.13171E-02	0.45199E-03	0.13925E-02	71.0
	4	0.25395E-01	0.41546E-01	0.48693E-01	31.4
	5	-0.29865E-03	0.77547E-03	0.83099E-03	338.9
	6	0.10928E-02	0.17904E-02	0.20976E-02	31.3
	7	-0.35560E-03	0.28590E-03	0.45628E-03	308.7
	8	-0.84097E-02	0.24501E-01	0.25904E-01	341.0
	9	0.10532E-04	0.64951E-03	0.64959E-03	0.9
	10	0.31891E-03	0.16700E-02	0.17002E-02	10.8

MAX= 0.41865E-01 MIN=-0.90699E-01 PEAK TC PEAK/2= 0.66282E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	30
ENTERED	TP	1
OUT OF RANGE	CHAN	61
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.21232E-01	1	0.74662E-04	0.96383E-03	0.96671E-03	4.4
	2	0.14104E-02	-0.14429E-03	0.14178E-02	95.8
	3	0.51742E-03	0.20028E-03	0.55483E-03	68.8
	4	0.70353E-01	0.44613E-01	0.83306E-01	57.6
	5	0.12274E-02	0.11683E-02	0.16946E-02	46.4
	6	0.33499E-02	-0.19002E-02	0.38514E-02	119.5
	7	-0.54214E-03	0.83349E-03	0.99429E-03	326.9
	8	0.30194E-01	0.31904E-01	0.43927E-01	43.4
	9	0.78101E-03	0.49337E-03	0.92379E-03	57.7
	10	0.46279E-02	-0.95629E-03	0.47257E-02	101.6

MAX= 0.16955E 00 MIN=-0.42401E-01 PEAK TC PEAK/2= 0.10597E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***			RUN	30
ENTERED	38		TP	1
OUT OF RANGE	0		CHAN	46
BANDEDGE	0			

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.32254E-01	1	0.28465E-02	0.47288E-02	0.55195E-02	31.0
	2	0.52397E-02	-0.46857E-03	0.52606E-02	95.1
	3	0.13591E-02	-0.27967E-02	0.31094E-02	154.0
	4	0.80330E-01	-0.34057E-01	0.87252E-01	112.9
	5	0.22965E-02	-0.84553E-03	0.24472E-02	110.2
	6	0.19742E-02	-0.29961E-02	0.35881E-02	146.6
	7	0.41220E-03	-0.13843E-03	0.43483E-03	108.5
	8	0.28622E-01	-0.26588E-01	0.39066E-01	132.8
	9	0.41343E-03	-0.16995E-02	0.17490E-02	166.3
	10	0.47577E-04	-0.23546E-02	0.23550E-02	178.8

MAX= 0.17675E 00 MIN=-0.30403E-01 PEAK TO PEAK/2= 0.10358E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 30
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 48
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.32855E 00	1	0.61209E-02	0.27479E-02	0.67094E-02	65.8
	2	0.39563E-02	-0.25186E-02	0.46900E-02	122.4
	3	-0.15590E-02	-0.29053E-02	0.32972E-02	208.2
	4	0.15892E-01	-0.47741E-01	0.50316E-01	161.5
	5	0.14289E-02	-0.24698E-02	0.28533E-02	149.9
	6	0.31531E-03	-0.24282E-02	0.24486E-02	172.6
	7	-0.61369E-03	-0.22210E-03	0.65265E-03	250.1
	8	-0.92714E-02	-0.11818E-01	0.15021E-01	218.1
	9	-0.59461E-03	-0.11591E-02	0.13027E-02	207.1
	10	-0.54570E-03	-0.68010E-03	0.87197E-03	219.7

MAX= 0.41138E 00 MIN= 0.28547E 00 PEAK TO PEAK/2= 0.62956E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 30  
TP 1  
CHAN 50

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.57668E 00	1	0.38083E-02	0.82395E-03	0.38964E-02	77.7
	2	0.14131E-02	-0.13334E-02	0.19429E-02	133.3
	3	-0.16946E-02	-0.33741E-03	0.17278E-02	258.7
	4	-0.31110E-02	-0.98896E-02	0.10367E-01	197.4
	5	-0.14540E-03	-0.41892E-03	0.44344E-03	199.1
	6	0.44279E-03	-0.36909E-03	0.57645E-03	129.8
	7	0.14137E-03	-0.11918E-05	0.14138E-03	90.4
	8	-0.16307E-02	-0.12524E-02	0.20561E-02	232.4
	9	-0.46220E-03	-0.17271E-03	0.49342E-03	249.5
	10	-0.32563E-03	-0.50384E-04	0.32950E-03	261.2


MAX= 0.59343E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.30840E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 30
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 55
BANDEDGE 0	




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	30
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	59
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.31550E-02	1	-0.34919E-03	0.26194E-03	0.43652E-03	306.8
	2	0.14255E-03	-0.24764E-03	0.28574E-03	150.0
	3	0.23260E-03	-0.19045E-03	0.30062E-03	129.3
	4	0.45511E-03	-0.10729E-04	0.45524E-03	91.3
	5	0.16401E-03	0.40756E-03	0.43932E-03	21.9
	6	-0.57891E-04	-0.14075E-03	0.15219E-03	202.3
	7	-0.21354E-04	-0.27826E-03	0.27908E-03	184.3
	8	-0.14261E-03	0.45340E-03	0.47530E-03	342.5
	9	0.35756E-03	-0.32458E-03	0.48291E-03	132.2
	10	0.29603E-04	0.14963E-03	0.15253E-03	11.1

MAX= 0.67177E-02 MIN= 0.13919E-02 PEAK TO PEAK/2= 0.26628E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38 RUN 30  
OUT OF RANGE 0 TP 1  
BANDEDGE 0 CHAN 62

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.40675E-01	1	0.18206E-02	0.29486E-02	0.34654E-02	31.6
	2	0.26200E-02	-0.20366E-02	0.33185E-02	127.8
	3	-0.13136E-02	0.16166E-02	0.20830E-02	320.9
	4	0.42786E-01	0.31198E-01	0.52953E-01	53.9
	5	-0.59422E-03	-0.12810E-02	0.14121E-02	204.8
	6	0.53227E-03	0.28278E-02	0.28774E-02	10.6
	7	0.22911E-02	-0.73824E-03	0.24071E-02	107.8
	8	0.12317E-01	0.16923E-01	0.20931E-01	36.0
	9	0.31663E-03	0.29519E-02	0.29688E-02	6.1
	10	0.26637E-02	-0.20228E-02	0.33447E-02	127.2

MAX= 0.12652E 00 MIN=-0.39256E-01 PEAK TO PEAK/2= 0.82888E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 31  
TP 1  
CHAN 47

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.31867E-01	1	0.42894E-02	-0.48158E-02	0.64492E-02	41.6
	2	0.48898E-02	-0.45481E-03	0.49109E-02	95.3
	3	-0.12852E-03	-0.32305E-02	0.32331E-02	182.2
	4	0.47765E-01	-0.38549E-01	0.61380E-01	128.9
	5	0.21971E-02	-0.16273E-02	0.27341E-02	126.5
	6	-0.27539E-03	0.37480E-04	0.27793E-03	277.7
	7	-0.48822E-03	-0.49479E-03	0.69511E-03	224.6
	8	0.52687E-02	-0.18624E-01	0.19355E-01	164.2
	9	0.51108E-03	-0.15505E-02	0.16325E-02	161.7
	10	-0.22459E-02	-0.10516E-02	0.24799E-02	244.9

MAX= 0.13579E 00 MIN=-0.17609E-01 PEAK TC PEAK/2= 0.76702E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	30
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	49
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.22598E 00	1	0.54400E-02	0.71032E-03	0.54862E-02	82.5
	2	0.16633E-02	-0.13272E-02	0.21279E-02	128.5
	3	-0.22508E-02	-0.16365E-03	0.22567E-02	265.8
	4	-0.66698E-02	-0.13546E-01	0.15099E-01	206.2
	5	-0.43429E-03	-0.83612E-03	0.94218E-03	207.4
	6	-0.16386E-03	-0.74482E-03	0.76263E-03	192.4
	7	-0.20991E-03	0.26387E-03	0.33718E-03	321.4
	8	-0.20432E-02	0.47247E-04	0.20438E-02	271.3
	9	-0.27583E-03	0.61399E-04	0.28258E-03	282.5
	10	0.13374E-03	0.17418E-03	0.21961E-03	37.5

MAX=-0.20228E 00 MIN=-0.24281E 00 PEAK TC PEAK/2= 0.20264E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	30
ENTERED	TP	1
OUT OF RANGE	CHAN	53
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.39683E-01	1	0.15754E-02	0.90054E-03	0.18146E-02	60.2
	2	-0.91638E-04	-0.55945E-03	0.56691E-03	189.3
	3	0.27343E-03	-0.21478E-03	0.34770E-03	128.1
	4	-0.46668E-03	-0.24537E-02	0.24977E-02	190.7
	5	-0.12172E-03	-0.92335E-03	0.93133E-03	187.5
	6	-0.39178E-03	-0.88898E-03	0.97148E-03	203.7
	7	0.31710E-03	0.49786E-03	0.59027E-03	32.4
	8	0.36366E-03	-0.59240E-03	0.69512E-03	148.4
	9	0.12273E-03	-0.62893E-03	0.64080E-03	168.9
	10	-0.57790E-03	-0.25315E-04	0.57845E-03	267.4

MAX= 0.46121E-01 MIN= 0.30428E-01 PEAK TC PEAK/2= 0.78463E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED 38	TP	1
OUT OF RANGE 0	CHAN	51
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.74593E-01	1	0.17771E-02	0.21928E-03	0.17905E-02	82.9
	2	0.11229E-02	-0.11026E-02	0.15737E-02	134.4
	3	-0.34464E-03	-0.38166E-03	0.51424E-03	222.0
	4	0.82978E-02	-0.63770E-02	0.10465E-01	127.5
	5	0.94938E-03	-0.56044E-03	0.11024E-02	120.5
	6	0.11918E-03	0.35166E-03	0.37131E-03	18.7
	7	0.81885E-03	0.16497E-03	0.83531E-03	78.6
	8	0.16896E-02	-0.40363E-03	0.17371E-02	103.4
	9	0.59418E-04	0.51816E-05	0.59643E-04	85.0
	10	-0.35834E-03	0.10303E-03	0.37285E-03	286.0

MAX= 0.88487E-01 MIN= 0.62912E-01 PEAK TO PEAK/2= 0.12787E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 31  
TP 1  
CHAN 57

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.11208E-04	1	-0.54100E-02	-0.22351E-01	0.22996E-01	193.6
	2	-0.25143E-01	0.11022E-01	0.27453E-01	293.6
	3	0.12883E-01	0.20107E-01	0.23880E-01	32.6
	4	0.56379E-01	0.24554E-01	0.61494E-01	66.4
	5	-0.20660E-01	-0.14163E-01	0.25049E-01	235.5
	6	-0.10843E-01	0.26730E-01	0.28846E-01	337.9
	7	0.23416E-01	0.83434E-02	0.24858E-01	70.3
	8	0.84268E-02	0.35969E-02	0.91624E-02	66.8
	9	-0.25784E-01	0.31020E-02	0.25970E-01	276.8
	10	0.95751E-02	0.25958E-01	0.27668E-01	20.2

MAX= 0.44567E 00 MIN=-0.61136E-01 PEAK TO PEAK/2= 0.25340E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

		RUN	31
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	60
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.23800E-01	1	0.57169E-03	0.34052E-03	0.66542E-03	59.2
	2	0.28596E-02	0.11415E-02	0.30790E-02	68.2
	3	-0.12238E-02	0.62803E-03	0.13755E-02	297.1
	4	0.90980E-01	0.49327E-01	0.10349E-00	61.5
	5	0.13164E-02	-0.21424E-02	0.25145E-02	148.4
	6	0.25324E-02	-0.69662E-03	0.26265E-02	105.3
	7	-0.16262E-02	0.90644E-03	0.18618E-02	299.1
	8	0.47068E-01	0.33561E-01	0.57808E-01	54.5
	9	0.18163E-02	-0.12502E-02	0.22050E-02	124.5
	10	0.21959E-02	-0.49412E-03	0.22508E-02	102.6

MAX= 0.18217E 00 MIN=-0.10007E 00 PEAK TO PEAK/2= 0.14112E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES--FWD SECTION


\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 31  
TP 1  
CHAN 45

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.46184E-02	1	0.54931E-02	0.13115E-02	0.56475E-02	76.5
	2	0.45335E-02	-0.18187E-02	0.48847E-02	111.8
	3	0.26825E-02	-0.19869E-03	0.26898E-02	94.2
	4	0.10515E-00	-0.31139E-01	0.10966E-00	106.4
	5	0.82365E-03	-0.32698E-02	0.33720E-02	165.8
	6	0.12403E-02	-0.20420E-02	0.23892E-02	148.7
	7	0.13297E-02	0.10226E-02	0.16774E-02	52.4
	8	0.44940E-01	-0.30494E-01	0.54309E-01	124.1
	9	-0.80448E-03	-0.23456E-02	0.24797E-02	198.9
	10	-0.78211E-03	-0.13268E-02	0.15401E-02	210.5

MAX= 0.20519E 00 MIN=-0.72518E-01 PEAK TO PEAK/2= 0.13885E 00




## UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS015.1 WAVEFORM \*\*\*  
 \*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED	TP	1
OUT OF RANGE	CHAN	52
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.53221E 00	1	0.13465E-02	0.78293E-03	0.15576E-02	59.8
	2	0.81282E-03	0.18241E-03	0.83304E-03	77.3
	3	-0.45076E-03	-0.31753E-03	0.55137E-03	234.8
	4	0.43129E-03	-0.21975E-02	0.22394E-02	168.8
	5	-0.87653E-04	0.79011E-03	0.79496E-03	353.6
	6	-0.12745E-02	0.59393E-04	0.12759E-02	272.6
	7	0.25272E-03	-0.40697E-03	0.47905E-03	148.1
	8	-0.16255E-03	-0.21998E-02	0.22058E-02	184.2
	9	-0.18540E-02	-0.43600E-04	0.18545E-02	268.6
	10	0.70114E-03	-0.30798E-03	0.76580E-03	113.7

MAX= 0.53956E 00 MIN= 0.52339E 00 PEAK TC PEAK/2= 0.80834E-02




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED	TP	1
OUT OF RANGE	CHAN	54
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.62935E-01	1	0.34715E-03	0.19511E-02	0.19817E-02	10.0
	2	0.13352E-02	0.78445E-03	0.15486E-02	59.5
	3	-0.53634E-03	0.47918E-03	0.71922E-03	311.7
	4	-0.59891E-02	0.74000E-02	0.95199E-02	321.0
	5	0.35181E-03	-0.79376E-03	0.86824E-03	156.0
	6	-0.27300E-03	-0.30285E-03	0.40774E-03	222.0
	7	0.78734E-05	-0.25621E-03	0.25633E-03	178.2
	8	-0.17798E-02	-0.29499E-02	0.34452E-02	211.1
	9	0.30551E-03	0.22608E-03	0.38007E-03	53.4
	10	-0.47823E-03	0.11954E-03	0.49295E-03	284.0

MAX= 0.77902E-01 MIN= 0.52734E-01 PEAK TO PEAK/2= 0.12583E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 31  
TP 1  
CHAN 56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.56513E-01	1	-0.16631E-02	0.11640E-02	0.20300E-02	304.9
	2	0.22940E-02	0.19841E-02	0.30330E-02	49.1
	3	0.34041E-03	0.14545E-02	0.14938E-02	13.1
	4	0.47220E-02	0.35784E-01	0.36094E-01	7.5
	5	-0.64588E-03	-0.91874E-03	0.11230E-02	215.1
	6	-0.12116E-02	0.11279E-02	0.16553E-02	312.9
	7	-0.81143E-03	-0.70118E-04	0.81446E-03	265.0
	8	-0.14423E-01	0.29650E-02	0.14724E-01	281.6
	9	0.52606E-03	0.61066E-03	0.80600E-03	40.7
	10	-0.93091E-05	0.10003E-03	0.10046E-03	354.6

MAX= 0.40172E-02 MIN=-0.83145E-01 PEAK TO PEAK/2= 0.43581E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	31
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	58
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.80223E-01	1	-0.27465E-02	0.31865E-02	0.42068E-02	319.2
	2	0.47871E-02	0.14598E-02	0.50047E-02	73.0
	3	0.14643E-02	-0.35892E-04	0.14647E-02	91.4
	4	0.35125E-01	0.34719E-01	0.49388E-01	45.3
	5	-0.81050E-03	-0.11112E-02	0.13754E-02	216.1
	6	0.38622E-02	-0.15853E-02	0.41749E-02	112.3
	7	-0.12763E-02	0.10250E-02	0.16369E-02	308.7
	8	0.24343E-03	0.21208E-01	0.21210E-01	0.6
	9	0.18694E-02	-0.85624E-03	0.20562E-02	114.6
	10	0.21477E-02	-0.31390E-02	0.38035E-02	145.6

MAX= 0.20114E-01 MIN=-0.12050E 00 PEAK TO PEAK/2= 0.70311E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED	TP	1
OUT OF RANGE	CHAN	61
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.13636E-01	1	0.10276E-02	0.10078E-02	0.14393E-02	45.5
	2	0.10935E-02	0.15150E-02	0.18684E-02	35.8
	3	0.67125E-03	0.43541E-03	0.80011E-03	57.0
	4	0.75701E-01	0.49343E-01	0.90363E-01	56.9
	5	0.41279E-03	-0.11616E-02	0.12328E-02	160.4
	6	0.86107E-03	0.11548E-02	0.14405E-02	36.7
	7	-0.61018E-03	0.12080E-02	0.13533E-02	333.2
	8	0.36515E-01	0.32892E-01	0.49145E-01	47.9
	9	0.57263E-03	-0.13095E-02	0.14292E-02	156.3
	10	0.93502E-03	0.20963E-02	0.22954E-02	24.0

MAX= 0.19153E 00 MIN=-0.55308E-01 PEAK TO PEAK/2= 0.12342E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTRED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 31  
TP 1  
CHAN 46

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.32690E-01	1	0.49726E-02	0.22223E-02	0.54466E-02	65.9
	2	0.46738E-02	-0.20396E-02	0.50995E-02	113.5
	3	0.29745E-02	-0.13211E-02	0.32547E-02	113.9
	4	0.95734E-01	-0.41378E-01	0.10429E 00	113.3
	5	0.10150E-02	-0.32125E-02	0.33691E-02	162.4
	6	0.13554E-02	-0.22016E-02	0.25854E-02	148.3
	7	0.16539E-02	-0.43669E-04	0.16545E-02	91.5
	8	0.34019E-01	-0.34410E-01	0.48387E-01	135.3
	9	-0.90519E-03	-0.16017E-02	0.18398E-02	209.4
	10	-0.31544E-03	-0.14749E-02	0.15083E-02	192.0

MAX= 0.20987E 00 MIN=-0.41030E-01 PEAK TO PEAK/2= 0.12545E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED	TP	1
OUT OF RANGE	CHAN	48
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.32006E 00	1	0.63505E-02	0.14532E-02	0.65147E-02	77.1
	2	0.34699E-02	-0.25708E-02	0.43184E-02	126.5
	3	0.21824E-03	-0.29439E-02	0.29520E-02	175.7
	4	0.17942E-01	-0.56422E-01	0.59206E-01	162.3
	5	-0.91408E-03	-0.28306E-02	0.29745E-02	197.8
	6	-0.56691E-03	-0.13937E-02	0.15046E-02	202.1
	7	-0.15532E-03	-0.11634E-02	0.11738E-02	187.6
	8	-0.11153E-01	-0.14804E-01	0.18535E-01	216.9
	9	-0.79233E-03	-0.31163E-03	0.85141E-03	248.5
	10	-0.78558E-03	-0.18549E-03	0.80719E-03	256.7

MAX= 0.41138E 00 MIN= 0.27129E 00 PEAK TO PEAK/Z= 0.70043E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED	TP	1
OUT OF RANGE	CHAN	50
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.57175E 00	1	0.29351E-02	0.50610E-03	0.29784E-02	80.2
	2	0.95640E-03	-0.12930E-02	0.16142E-02	143.2
	3	-0.12946E-02	-0.24670E-04	0.12949E-02	268.9
	4	-0.27534E-02	-0.11465E-01	0.11791E-01	193.5
	5	-0.62884E-03	-0.10672E-02	0.12387E-02	210.5
	6	-0.16200E-03	-0.21327E-03	0.26782E-03	217.2
	7	-0.14599E-03	-0.54508E-03	0.56429E-03	194.9
	8	-0.24820E-02	-0.18109E-02	0.30724E-02	233.8
	9	-0.27643E-03	-0.27017E-03	0.38653E-03	225.6
	10	-0.34343E-03	-0.39518E-04	0.34570E-03	263.4

MAX= 0.59116E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.29704E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	39	RUN	31
OUT OF RANGE	0	TP	1
BANDEDGE	0	CHAN	55

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.37769E-01	1	0.53337E-03	0.12976E-02	0.14030E-02	22.3
	2	0.11750E-02	0.17019E-02	0.20681E-02	34.6
	3	-0.52259E-03	0.58084E-03	0.78133E-03	318.0
	4	-0.81501E-02	0.81869E-02	0.11552E-01	315.1
	5	0.73713E-04	-0.52898E-03	0.53409E-03	172.0
	6	-0.68217E-03	-0.25198E-03	0.72722E-03	249.7
	7	-0.25816E-03	-0.41285E-03	0.48692E-03	212.0
	8	-0.10932E-02	-0.29194E-02	0.31174E-02	200.5
	9	0.31516E-03	0.32864E-03	0.45534E-03	43.8
	10	-0.20944E-03	-0.15053E-03	0.25793E-03	234.2

MAX=-0.18888E-01 MIN=-0.48967E-01 PEAK TO PEAK/2= 0.15039E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	31
ENTERED	TP	
OUT OF RANGE	CHAN	59
BANDEdge		
0	0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.30227E-02	1	-0.23301E-03	0.31940E-04	0.23518E-03	277.8
	2	0.59882E-03	-0.26063E-03	0.65308E-03	113.5
	3	0.49954E-04	-0.84186E-04	0.97892E-04	149.3
	4	0.47105E-04	0.45223E-03	0.45468E-03	5.9
	5	-0.35343E-03	0.12602E-03	0.37523E-03	289.6
	6	0.22373E-03	-0.57928E-03	0.62099E-03	158.8
	7	0.12615E-03	0.33829E-03	0.36105E-03	20.4
	8	0.14637E-03	0.54770E-03	0.56692E-03	14.9
	9	-0.12299E-03	-0.31731E-04	0.12699E-03	255.5
	10	-0.20667E-03	-0.49614E-03	0.53746E-03	202.6

MAX= 0.48416E-02 MIN=-0.16945E-02 PEAK TO PEAK/2= 0.32680E-02



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 31  
TP 1  
CHAN 62

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.54231E-01	1	-0.14762E-03	0.23975E-02	0.24020E-02	356.4
	2	0.25029E-02	-0.22304E-04	0.25030E-02	90.5
	3	0.17002E-02	0.35625E-03	0.17371E-02	78.1
	4	0.41003E-01	0.33917E-01	0.53213E-01	50.4
	5	-0.80690E-03	-0.10207E-04	0.80697E-03	269.2
	6	0.56683E-03	0.11565E-03	0.57851E-03	78.4
	7	0.57219E-04	0.54054E-03	0.54356E-03	6.0
	8	0.17194E-01	0.19727E-01	0.26169E-01	41.0
	9	0.10879E-02	-0.88810E-03	0.14044E-02	129.2
	10	0.88359E-03	0.10245E-03	0.88951E-03	83.3

MAX= 0.15294E 00 MIN= 0.11936E-01 PEAK TO PEAK/2= 0.70502E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	31
OUT OF RANGE	0	TP	1
BANDEdge	0	CHAN	47

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.48135E-01	1	0.79811E-02	0.29864E-02	0.85216E-02	69.4
	2	0.23623E-02	-0.16354E-02	0.28736E-02	124.6
	3	0.22038E-02	-0.33586E-02	0.40171E-02	146.7
	4	0.53445E-01	-0.48202E-01	0.75758E-01	129.5
	5	0.20265E-03	-0.23543E-02	0.23630E-02	175.0
	6	-0.90014E-04	-0.88426E-03	0.88883E-03	185.8
	7	-0.36051E-03	-0.64416E-03	0.73818E-03	209.2
	8	0.67461E-02	-0.25453E-01	0.26332E-01	165.1
	9	-0.61090E-03	-0.12187E-02	0.13633E-02	206.6
	10	-0.71411E-03	-0.21181E-03	0.74486E-03	253.4

MAX= 0.17505E 00 MIN=-0.11971E-01 PEAK TO PEAK/2= 0.93511E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 31  
TP 1  
CHAN 49

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.22441E 00	1	0.52563E-02	0.27605E-03	0.52636E-02	86.9
	2	0.71152E-03	-0.17744E-02	0.19117E-02	158.1
	3	-0.21739E-02	0.27741E-03	0.21915E-02	277.2
	4	-0.71903E-02	-0.15965E-01	0.17510E-01	204.2
	5	-0.17000E-02	-0.69246E-03	0.18356E-02	247.8
	6	-0.12128E-03	-0.72272E-04	0.14118E-03	239.2
	7	-0.37779E-03	-0.85854E-03	0.93798E-03	203.7
	8	-0.33644E-02	-0.88789E-04	0.33656E-02	268.4
	9	0.60063E-04	0.15193E-03	0.16338E-03	21.5
	10	-0.25969E-03	0.69451E-04	0.26881E-03	284.9

MAX=-0.19620E 00 MIN=-0.24214E 00 PEAK TC PEAK/2= 0.22968E-01




## UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
 \*\*\* CYCLE 0 \*\*\*

		RUN	31
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	53
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.45218E-01	1	0.20008E-02	0.80360E-03	0.21562E-02	68.1
	2	-0.36600E-03	0.52868E-03	0.64300E-03	325.3
	3	-0.54307E-03	0.67070E-03	0.86300E-03	321.0
	4	0.11408E-02	-0.37182E-02	0.38893E-02	162.9
	5	-0.18858E-02	0.15810E-02	0.24609E-02	309.9
	6	0.54793E-03	0.22696E-03	0.59308E-03	67.4
	7	-0.25597E-03	-0.18037E-02	0.18218E-02	188.0
	8	-0.11160E-02	-0.37984E-02	0.39589E-02	196.3
	9	0.26002E-02	-0.71002E-03	0.26954E-02	105.2
	10	-0.42190E-03	-0.82469E-04	0.42989E-03	258.9

MAX= 0.60729E-01 MIN= 0.32023E-01 PEAK TO PEAK/2= 0.14353E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	32
ENTERED	TP	1
OUT OF RANGE	CHAN	51
BANEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.12344E-01	1	0.23223E-02	0.16344E-03	0.23280E-02	85.9
	2	0.23985E-03	-0.93452E-04	0.25741E-03	111.2
	3	0.83654E-04	-0.22866E-02	0.22882E-02	177.9
	4	0.13179E-01	-0.92897E-02	0.16124E-01	125.1
	5	0.86311E-03	0.31743E-03	0.91963E-03	69.8
	6	-0.15001E-02	0.12996E-02	0.19847E-02	310.9
	7	0.33579E-03	-0.93851E-03	0.99677E-03	160.3
	8	0.35998E-02	0.88506E-03	0.37071E-02	76.1
	9	-0.26410E-03	-0.44594E-03	0.51828E-03	210.6
	10	0.35218E-03	0.82583E-05	0.35228E-03	88.6

MAX= 0.88031E-02 MIN=-0.33846E-01 PEAK TO PEAK/2= 0.21324E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 32  
TP 1  
CHAN 57

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.47418E-01	1	-0.14139E-01	0.18320E-01	0.23142E-01	322.3
	2	0.10186E-01	0.14652E-01	0.17845E-01	34.8
	3	0.12212E-01	-0.57678E-02	0.13505E-01	115.2
	4	0.35421E-01	0.30282E-01	0.46601E-01	49.4
	5	-0.60666E-02	-0.55467E-02	0.82201E-02	227.5
	6	-0.12985E-01	0.53436E-02	0.14042E-01	292.3
	7	-0.54188E-03	0.12344E-01	0.12355E-01	357.4
	8	0.15984E-01	0.38676E-01	0.41849E-01	22.4
	9	0.11409E-01	-0.39362E-02	0.12069E-01	109.0
	10	-0.25107E-03	-0.13584E-01	0.13587E-01	181.0

MAX= 0.70957E-01 MIN=-0.29308E 00 PEAK TC PEAK/2= 0.18202E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN 32
ENTERED 38	TP 1	
OUT OF RANGE 0	CHAN 60	
BANEDGE 1		

STeady	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.47428E-01	1	0.77196E-02	-0.16121E-01	0.17874E-01	154.4
	2	0.15350E-01	0.17413E-01	0.23213E-01	41.3
	3	-0.25762E-01	0.68026E-02	0.26645E-01	284.7
	4	0.10311E-00	0.44983E-01	0.11249E-00	66.4
	5	0.24328E-01	0.16903E-01	0.29624E-01	55.2
	6	-0.18575E-01	0.68021E-02	0.19781E-01	290.1
	7	0.27756E-03	-0.24632E-01	0.24634E-01	179.3
	8	0.67890E-01	0.58978E-01	0.89930E-01	49.0
	9	-0.17107E-01	0.16080E-01	0.23478E-01	313.2
	10	-0.20309E-02	-0.24298E-01	0.24383E-01	184.7

MAX= 0.20036E 00 MIN=-0.49956E 00 PEAK TO PEAK/2= 0.34996E 00



BBBB	A	N	N	DDDD	EEEE	DDDD	GGGG	EEEE
B	A A	NN	N D	D D	E E	D D	G G	E E
BBBB	A A	N N N	N D	D D	EEEE	D D	G GGG	EEEE
B	AAAAA	N NN	D D	D D	E E	D D	G G	E E
BBBB	A A	N N	DDDD	EEEEEE	DDDD	GGGG	EEEEEE	


UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	ENTERED	CYCLE	RUN	32
	38	0	TP	1
	OUT OF RANGE	0	CHAN	45
	BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.18279E-02	1	0.69167E-02	0.89721E-02	0.11328E-01	37.6
	2	0.41410E-02	0.20275E-02	0.46107E-02	63.9
	3	0.26030E-02	-0.24723E-02	0.35900E-02	133.5
	4	0.12377E 00	-0.84061E-02	0.12405E 00	93.8
	5	0.63847E-02	-0.19689E-03	0.63877E-02	91.7
	6	-0.71350E-02	0.48381E-02	0.86207E-02	304.1
	7	0.20861E-02	-0.64478E-03	0.21835E-02	107.1
	8	0.50196E-01	-0.43435E-01	0.66380E-01	130.8
	9	0.10876E-02	-0.28717E-02	0.30707E-02	159.2
	10	-0.50542E-02	-0.75485E-02	0.90844E-02	213.8

MAX= 0.25744E 00 MIN=-0.10406E 00 PEAK TO PEAK/2= 0.18075E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 36  
BANDEdge 0

RUN 32  
TP 1  
CHAN 52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.50952E 00	1	0.52574E-02	0.14233E-02	0.54467E-02	74.8
	2	-0.16904E-03	-0.14809E-03	0.22474E-03	228.7
	3	0.11937E-02	-0.18947E-02	0.22394E-02	147.7
	4	0.41202E-02	-0.39267E-02	0.56917E-02	133.6
	5	0.14907E-03	0.26886E-03	0.30742E-03	29.0
	6	-0.11177E-02	0.16233E-02	0.19709E-02	325.4
	7	-0.11740E-02	-0.14118E-02	0.18362E-02	219.7
	8	0.64791E-03	-0.32937E-02	0.33568E-02	168.8
	9	0.51211E-03	-0.45909E-03	0.68776E-03	131.8
	10	0.10124E-02	-0.73314E-03	0.12500E-02	125.9

MAX= 0.52738E 00 MIN= 0.49654E 00 PEAK TO PEAK/2= 0.15419E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	32
ENTERED	TP	1
OUT OF RANGE	CHAN	54
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.58538E-01	1	0.10850E-02	0.17111E-02	0.20261E-02	32.3
	2	0.36223E-03	0.17170E-02	0.17548E-02	11.9
	3	0.10491E-02	-0.26307E-03	0.10816E-02	104.0
	4	-0.42016E-02	0.79293E-02	0.89737E-02	332.0
	5	-0.31105E-03	0.71040E-03	0.77552E-03	336.3
	6	-0.50429E-03	-0.47905E-03	0.69555E-03	226.4
	7	0.41559E-03	-0.51386E-04	0.41876E-03	97.0
	8	-0.32953E-02	-0.20775E-02	0.38955E-02	237.7
	9	-0.15213E-04	0.49495E-03	0.49519E-03	358.2
	10	-0.13464E-03	0.20120E-03	0.24209E-03	326.2

MAX= 0.76070E-01 MIN= 0.47456E-01 PEAK TO PEAK/2= 0.14306E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 32  
TP 1  
CHAN 56

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.77856E-01	1	0.11541E-02	-0.28760E-03	0.11894E-02	103.9
	2	0.32423E-03	0.20301E-02	0.20558E-02	9.0
	3	0.26916E-02	0.44254E-03	0.27277E-02	80.6
	4	0.74056E-02	0.35487E-01	0.36252E-01	11.7
	5	-0.29042E-03	0.15032E-02	0.15310E-02	349.0
	6	0.10643E-02	-0.45323E-03	0.11568E-02	113.0
	7	-0.73349E-03	0.18810E-03	0.75723E-03	284.3
	8	-0.16374E-01	0.44633E-02	0.16972E-01	285.2
	9	-0.51836E-03	0.69572E-03	0.86760E-03	323.3
	10	0.25246E-03	0.37220E-03	0.44975E-03	34.1

MAX=-0.15703E-01 MIN=-0.10603E 00 PEAK TO PEAK/2= 0.45164E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN 32
ENTERED 38	TP 1
OUT OF RANGE 0	CHAN 58
BANDEdge 0	

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.11378E 00	1	-0.20398E-02	0.24404E-02	0.31806E-02	320.1
	2	-0.68669E-03	0.22039E-02	0.23084E-02	342.6
	3	0.32500E-02	-0.10391E-02	0.34121E-02	107.7
	4	0.24771E-01	0.39199E-01	0.46370E-01	32.2
	5	-0.12469E-03	0.10409E-03	0.16243E-03	309.8
	6	0.28967E-02	-0.24282E-02	0.37798E-02	129.9
	7	0.61680E-03	0.17839E-02	0.18876E-02	19.0
	8	-0.52010E-02	0.21813E-01	0.22424E-01	346.5
	9	0.17854E-02	0.85697E-03	0.19804E-02	64.3
	10	0.37526E-02	0.24398E-02	0.44760E-02	56.9

MAX=-0.21205E-01 MIN=-0.15049E 00 PEAK TO PEAK/2= 0.64646E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	32
OUT OF RANGE	0	TP	1
BANDEdge	0	CHAN	61

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.26813E-01	1	-0.35059E-02	0.10917E-01	0.11467E-01	342.1
	2	-0.28830E-02	-0.63987E-02	0.70182E-02	204.2
	3	0.65745E-02	-0.14557E-02	0.67337E-02	102.4
	4	0.79101E-01	0.67392E-01	0.10391E 00	49.5
	5	-0.19134E-02	-0.30509E-02	0.36012E-02	212.0
	6	0.96304E-02	-0.35529E-02	0.10264E-01	110.2
	7	0.11641E-02	0.59929E-02	0.61049E-02	10.9
	8	0.32409E-01	0.38918E-01	0.50645E-01	39.7
	9	0.64183E-02	-0.37444E-02	0.74307E-02	120.2
	10	0.64743E-03	0.73061E-02	0.73347E-02	5.0

MAX= 0.22390E 00 MIN=-0.58888E-01 PEAK TO PEAK/2= 0.14139E 00




UTTAS 1/5 TH SCALE MODEL FUSFLAGE PRESSURES---FWD SECTION

\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	32
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	46
BANDEdge	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.35737E-01	1	0.85234E-02	0.83922E-02	0.11961E-01	45.4
	2	0.21935E-02	-0.13471E-02	0.25742E-02	121.5
	3	0.29957E-02	-0.35318E-02	0.46312E-02	139.6
	4	0.12055E-00	-0.37818E-01	0.12634E-00	107.4
	5	0.61225E-02	-0.21870E-02	0.65014E-02	109.6
	6	-0.19621E-02	0.61906E-03	0.20575E-02	287.5
	7	0.18761E-02	-0.11191E-02	0.21845E-02	120.8
	8	0.47047E-01	-0.37518E-01	0.60175E-01	128.5
	9	0.21258E-02	-0.19903E-02	0.29121E-02	133.1
	10	0.25391E-03	-0.17825E-02	0.18005E-02	171.8

MAX= 0.27434E 00 MIN=-0.61988E-01 PEAK TO PEAK/2= 0.16816E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	32
ENTERED 38	TP	1
OUT OF RANGE 0	CHAN	48
BANDEdge 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.30775E 00	1	0.96435E-02	0.19232E-02	0.98334E-02	78.7
	2	0.20850E-02	-0.32004E-02	0.38197E-02	146.9
	3	0.15737E-02	-0.55385E-02	0.57578E-02	164.1
	4	0.28784E-01	-0.67201E-01	0.73106E-01	156.8
	5	0.23837E-02	-0.46910E-02	0.52619E-02	153.0
	6	-0.81293E-05	0.47270E-03	0.47277E-03	359.0
	7	-0.62511E-03	-0.18565E-02	0.19590E-02	198.6
	8	-0.10076E-01	-0.22356E-01	0.24522E-01	204.2
	9	-0.11746E-02	-0.15775E-02	0.19668E-02	216.6
	10	0.13280E-02	0.75331E-04	0.13302E-02	86.7

MAX= 0.43157E 00 MIN= 0.24858E 00 PEAK TO PEAK/2= 0.91499E-01




## UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.7 WAVEFORM \*\*\*  
 \*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	ENTERED	RUN	32
	38	TP	1
	OUT OF RANGE	CHAN	50
	BANDEDGE		
	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.56284E 00	1	0.46537E-02	0.55353E-03	0.46865E-02	83.2
	2	-0.23304E-03	-0.22893E-02	0.23011E-02	185.8
	3	-0.38005E-03	-0.19073E-02	0.19448E-02	191.2
	4	0.74441E-03	-0.14848E-01	0.14866E-01	177.1
	5	0.52073E-03	-0.11679E-02	0.12787E-02	155.9
	6	-0.10802E-02	0.20825E-02	0.23460E-02	332.5
	7	-0.69212E-03	-0.44952E-03	0.82529E-03	236.9
	8	-0.11086E-02	-0.29651E-02	0.31656E-02	200.5
	9	-0.30884E-03	-0.44958E-04	0.31210E-03	261.7
	10	0.51154E-03	0.18848E-03	0.54516E-03	69.7

MAX= 0.58784E 00 MIN= 0.53175E 00 PEAK TO PEAK/2= 0.28048E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	32
ENTERED	TP	1
OUT OF RANGE	CHAN	55
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RFS	PHASE
-0.42840E-01	1	0.11100E-02	0.61124E-03	0.12672E-02	61.1
	2	0.11239E-02	0.13461E-02	0.17536E-02	39.8
	3	0.78665E-03	0.57329E-03	0.97339E-03	53.9
	4	-0.77082E-02	0.88020E-02	0.11700E-01	318.7
	5	-0.84156E-03	0.33057E-03	0.90416E-03	291.4
	6	-0.14177E-03	-0.67679E-03	0.69148E-03	191.8
	7	-0.13412E-03	-0.29687E-05	0.13415E-03	268.7
	8	-0.29804E-02	-0.26304E-02	0.39752E-02	228.5
	9	0.51274E-03	0.23725E-03	0.56497E-03	65.1
	10	0.48924E-04	0.13191E-04	0.50671E-04	74.9

MAX=-0.24104E-01 MIN=-0.55445E-01 PEAK TO PEAK/2= 0.15670E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 32  
TP 1  
CHAN 59

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.28269E-02	1	-0.79349E-03	0.20800E-02	0.22263E-02	339.1
	2	0.50778E-03	0.57591E-03	0.76780E-03	41.4
	3	0.19574E-02	-0.57602E-03	0.20404E-02	106.3
	4	0.42275E-03	-0.29487E-03	0.51543E-03	124.8
	5	-0.15807E-02	-0.15181E-02	0.21916E-02	226.1
	6	-0.43213E-03	0.29678E-03	0.52423E-03	304.4
	7	-0.17851E-03	0.22572E-02	0.22643E-02	355.4
	8	0.54471E-03	0.72131E-03	0.90388E-03	37.0
	9	0.21528E-02	-0.10364E-02	0.23893E-02	115.7
	10	0.33178E-03	-0.43162E-03	0.54441E-03	142.4

MAX= 0.18095E-01 MIN=-0.23300E-01 PEAK TO PEAK/2= 0.20697E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 32  
TP 1  
CHAN 62

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.78547E-01	1	-0.10776E-02	0.73054E-02	0.73845E-02	351.6
	2	0.32440E-03	-0.25528E-03	0.41280E-03	128.2
	3	-0.26980E-03	-0.39383E-03	0.47738E-03	214.4
	4	0.42852E-01	0.39019E-01	0.57955E-01	47.6
	5	0.18967E-02	-0.46942E-04	0.18972E-02	91.4
	6	0.43761E-02	-0.12425E-02	0.45491E-02	105.8
	7	0.60411E-03	0.45540E-02	0.45939E-02	7.5
	8	0.21554E-01	0.16873E-01	0.27373E-01	51.9
	9	0.23394E-02	-0.86226E-03	0.24933E-02	110.2
	10	0.87562E-03	0.68224E-03	0.11100E-02	52.0

MAX= 0.18360E 00 MIN= 0.19840E-01 PEAK TC PEAK/2= 0.81880E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 32  
TP 1  
CHAN 47

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.78155E-01	1	0.91051E-02	0.93025E-02	0.13016E-01	44.3
	2	0.67832E-02	-0.58653E-03	0.68086E-02	94.9
	3	0.12203E-02	-0.75205E-02	0.76189E-02	170.7
	4	0.77271E-01	-0.44364E-01	0.89101E-01	119.8
	5	0.51856E-02	-0.35499E-02	0.62843E-02	124.3
	6	-0.52839E-02	0.24379E-02	0.58192E-02	294.7
	7	0.18836E-02	-0.13699E-02	0.23291E-02	126.0
	8	0.82033E-02	-0.35756E-01	0.36685E-01	167.0
	9	0.13049E-02	-0.17339E-02	0.21701E-02	143.0
	10	0.49152E-03	-0.62668E-02	0.62860E-02	175.5


MAX= 0.23233E 00 MIN=-0.31321E-02 PEAK TO PEAK/2= 0.11773E 00



AD-A061 361 BOEING VERTOL CO PHILADELPHIA PA F/G 1/3  
INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFI-ETC(U)  
SEP 78 P F SHERIDAN DAJA02-77-C-0020  
UNCLASSIFIED HEARTL-TR-78-378-VOL-06-VL

UNCLASSIFIED

3 OF 3  
AD  
A061 361



USARTL-TR-78-23B-VOL-2G

F/G 1/3

NL

END  
DATE  
FILMED  
2-79  
DDC

UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 32  
TP 1  
CHAN 49

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.21765E 00	1	0.68327E-02	0.12417E-02	0.69446E-02	79.6
	2	0.36688E-04	-0.39667E-02	0.39668E-02	179.4
	3	-0.15225E-02	-0.21984E-02	0.26741E-02	214.7
	4	-0.37974E-02	-0.21942E-01	0.22268E-01	189.8
	5	-0.39024E-03	-0.23481E-02	0.23803E-02	189.4
	6	0.26760E-03	0.19036E-02	0.19223E-02	8.0
	7	-0.67314E-03	-0.44939E-03	0.80936E-03	236.2
	8	-0.26622E-02	-0.17499E-02	0.31858E-02	236.6
	9	-0.92806E-03	0.61749E-03	0.11147E-02	303.6
	10	0.97632E-03	0.14540E-03	0.98708E-03	81.5

MAX=-0.18168E 00 MIN=-0.24433E 00 PEAK TO PEAK/2= 0.31323E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 32  
TP 1  
CHAN 53

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.59611E-01	1	0.25780E-02	0.22695E-02	0.34347E-02	48.6
	2	0.13914E-02	-0.26057E-02	0.29540E-02	151.8
	3	0.16784E-03	-0.10859E-02	0.10988E-02	171.2
	4	0.255575E-02	-0.58186E-02	0.63559E-02	156.2
	5	-0.18926E-03	-0.49762E-03	0.53240E-03	200.8
	6	0.35900E-03	-0.36806E-02	0.36981E-02	174.4
	7	-0.12593E-02	-0.10148E-02	0.16173E-02	231.1
	8	-0.52391E-03	-0.29073E-02	0.29541E-02	190.2
	9	-0.91328E-03	0.14053E-02	0.16760E-02	326.9
	10	-0.13654E-03	-0.79697E-03	0.80858E-03	189.7

MAX= 0.82801E-01 MIN= 0.47203 -01 PEAK TO PEAK/2= 0.17797E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS004.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED	TP	
OUT OF RANGE	CHAN	51
BANDEDGE		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.65213E-01	1	0.96152E-03	-0.20030E-02	0.22218E-02	154.3
	2	0.13453E-02	-0.31367E-02	0.34130E-02	156.7
	3	0.14085E-02	-0.23832E-02	0.27683E-02	149.4
	4	0.17926E-01	-0.12802E-01	0.22028E-01	125.5
	5	0.19044E-02	-0.24315E-04	0.19046E-02	90.7
	6	-0.58612E-03	0.72397E-03	0.93149E-03	321.0
	7	0.17247E-02	0.20069E-03	0.17363E-02	83.3
	8	0.42992E-02	-0.31231E-03	0.43105E-02	94.1
	9	0.37622E-03	-0.71247E-03	0.80570E-03	152.1
	10	-0.73281E-03	-0.32651E-04	0.73354E-03	267.4

MAX=-0.34757E-01 MIN=-0.91902E-01 PEAK TO PEAK/2= 0.28572E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED	TP	1
OUT OF RANGE	CHAN	57
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.93111E-01	1	-0.91884E-02	0.13481E-01	0.16315E-01	325.7
	2	-0.17433E-02	0.43069E-02	0.46464E-02	337.9
	3	-0.10640E-02	-0.21752E-02	0.24215E-02	206.0
	4	0.29975E-01	0.35341E-01	0.46341E-01	40.3
	5	0.30706E-03	0.22756E-02	0.22963E-02	7.6
	6	0.22492E-02	0.13173E-02	0.26066E-02	59.6
	7	0.36790E-02	-0.20549E-02	0.42139E-02	119.1
	8	0.12633E-01	0.28205E-01	0.30905E-01	24.1
	9	-0.90734E-03	-0.98226E-03	0.13372E-02	222.7
	10	-0.16174E-02	-0.13864E-02	0.21303E-02	229.3

MAX = 0.39713E-01 MIN=-0.15337E 00 PEAK TO PEAK/2= 0.96543E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS013.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 33  
TP 31  
CHAN 60

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.56164E-01	1	-0.48251E-03	0.11317E-01	0.11327E-01	357.5
	2	-0.31575E-03	0.32988E-02	0.33138E-02	354.5
	3	-0.41100E-02	0.11331E-02	0.42633E-02	285.4
	4	0.10663E-00	0.71928E-01	0.12862E-00	55.9
	5	0.64534E-02	0.85869E-03	0.65103E-02	82.4
	6	0.33744E-02	-0.57243E-03	0.34226E-02	99.6
	7	0.43188E-03	-0.79483E-03	0.90459E-03	151.4
	8	0.53632E-01	0.56158E-01	0.77654E-01	43.6
	9	0.26946E-02	-0.61277E-04	0.26953E-02	91.3
	10	0.16529E-02	0.37415E-03	0.16947E-02	77.2

MAX= 0.19918E 00 MIN=-0.16446E 00 PEAK TO PEAK/2= 0.18182E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS013.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	33
OUT OF RANGE	0	TP	1
BANDEEDGE	0	CHAN	45

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.11396E-01	1	0.91294E-02	0.10182E-01	0.13675E-01	61.8
	2	0.35020E-02	0.90601E-02	0.97134E-02	21.1
	3	0.50361E-02	-0.88202E-03	0.51128E-02	99.9
	4	0.13920E-00	-0.35386E-01	0.14362E-00	104.2
	5	0.63876E-02	-0.35237E-02	0.72950E-02	118.8
	6	-0.28527E-03	-0.11846E-01	0.11850E-01	181.3
	7	0.34467E-02	0.12014E-02	0.36501E-02	70.7
	8	0.93734E-01	-0.30143E-01	0.98462E-01	107.8
	9	0.77069E-03	-0.30689E-02	0.31642E-02	165.9
	10	-0.12410E-02	0.13667E-01	0.13723E-01	354.8

MAX= 0.29810E 00 MIN=-0.13694E 00 PEAK TO PEAK/2= 0.21752E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS015.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

ENTERED	38	RUN	33
OUT OF RANGE	3	TP	1
BANEDGE	0	CHAN	52

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.48619E 00	1	0.52089E-02	-0.55466E-03	0.52383E-02	96.0
	2	0.38307E-03	0.65527E-03	0.75903E-03	30.3
	3	0.13607E-02	0.67482E-03	0.15189E-02	63.6
	4	0.65110E-02	-0.66579E-02	0.93124E-02	135.6
	5	0.11172E-02	-0.12940E-02	0.17096E-02	139.1
	6	-0.92418E-03	-0.66476E-03	0.11384E-02	234.2
	7	0.76096E-03	-0.79737E-03	0.11022E-02	136.3
	8	0.19539E-03	-0.79077E-03	0.81456E-03	166.1
	9	-0.20658E-03	0.10801E-02	0.10996E-02	349.1
	10	0.10773E-02	-0.20785E-03	0.10972E-02	100.9

MAX= 0.50630E 00 MIN= 0.46720E 00 PEAK TO PEAK/2= 0.19549E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED	TP	1
OUT OF RANGE	CHAN	54
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.51463E-01	1	0.14693E-02	0.28432E-02	0.32004E-02	27.3
	2	0.92033E-03	0.48223E-03	0.10390E-02	62.3
	3	0.18571E-02	0.53904E-03	0.19338E-02	73.8
	4	-0.19146E-02	0.98657E-02	0.10049E-01	349.0
	5	-0.61771E-03	0.26983E-03	0.67408E-03	293.5
	6	-0.70800E-03	0.65849E-03	0.96689E-03	312.9
	7	0.12549E-02	0.10461E-02	0.16338E-02	50.1
	8	-0.18559E-02	0.17243E-03	0.18639E-02	275.3
	9	0.39142E-03	-0.73557E-03	0.83323E-03	151.9
	10	0.88499E-04	-0.92805E-04	0.12823E-03	136.3

MAX= 0.70182E-01 MIN= 0.39125E-01 PEAK TC PEAK/2= 0.15528E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.2 WAVEFORM \*\*\*  
CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	ENTERED	RUN	33
	38	TP	1
OUT OF RANGE	0	CHAN	56
BANDEDGE	0		

STeady	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.10512E 00	1	-0.27288E-02	0.60596E-03	0.27953E-02	282.5
	2	0.22739E-02	0.78221E-03	0.24046E-02	71.0
	3	0.42906E-02	0.72730E-03	0.43518E-02	80.3
	4	0.13436E-01	0.35515E-01	0.37972E-01	20.7
	5	0.38582E-03	-0.48915E-03	0.62300E-03	141.7
	6	0.78006E-03	0.14725E-02	0.16663E-02	27.9
	7	0.97783E-03	0.14152E-02	0.17201E-02	34.6
	8	-0.16886E-01	0.10042E-01	0.19646E-01	300.7
	9	0.92347E-04	0.10101E-02	0.10143E-02	5.2
	10	-0.42372E-03	0.71511E-03	0.83121E-03	329.3

MAX=-0.38529E-01 MIN=-0.13518E 00 PEAK TC PEAK/2= 0.48329E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***		RUN	33
ENTERED	38	TP	1
OUT OF RANGE	0	CHAN	58
BANDEDGE	0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.15347E 00	1	-0.59559E-02	0.46331E-02	0.75458E-02	307.8
	2	0.32329E-03	-0.22542E-02	0.22773E-02	171.8
	3	0.30590E-02	-0.42769E-02	0.52586E-02	144.4
	4	0.18894E-01	0.19035E-01	0.26820E-01	64.7
	5	0.13175E-04	-0.11514E-02	0.11515E-02	179.3
	6	0.22944E-02	0.53855E-02	0.58539E-02	23.0
	7	0.42054E-02	0.30712E-02	0.52077E-02	53.8
	8	0.17724E-01	0.32387E-01	0.36920E-01	28.6
	9	0.18645E-02	0.11545E-03	0.18682E-02	86.4
	10	-0.62076E-03	-0.32871E-02	0.33452E-02	190.6

MAX=-0.55316E-01 MIN=-0.21987E 00 PEAK TO PEAK/2= 0.82277E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 33  
TP 1  
CHAN 61

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.27187E-01	1	0.24686E-02	0.70809E-02	0.74989E-02	19.2
	2	0.23119E-02	-0.72487E-02	0.76085E-02	162.3
	3	-0.14111E-02	-0.12786E-02	0.19042E-02	227.8
	4	0.71693E-01	0.66560E-01	0.97827E-01	47.1
	5	0.33419E-02	0.21017E-02	0.39479E-02	57.8
	6	0.14526E-02	0.85085E-02	0.86316E-02	9.6
	7	0.55711E-02	0.11404E-02	0.56866E-02	78.4
	8	0.48493E-01	0.43554E-01	0.65181E-01	48.0
	9	0.24830E-02	-0.14209E-02	0.28608E-02	119.7
	10	0.29341E-03	-0.95754E-02	0.95799E-02	178.2

MAX= 0.23852E 00 MIN=-0.68014E-01 PEAK TO PEAK/2= 0.15327E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED	TP	1
OUT OF RANGE	CHAN	46
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.45848E-01	1	0.10658E-01	0.67849E-02	0.12634E-01	57.5
	2	0.50078E-02	0.44331E-02	0.66881E-02	48.4
	3	0.80045E-02	-0.52977E-02	0.95989E-02	123.4
	4	0.12866E-00	-0.48907E-01	0.13764E 00	110.8
	5	0.73994E-02	-0.13160E-02	0.75155E-02	100.0
	6	-0.80606E-04	-0.78658E-02	0.78663E-02	180.5
	7	0.79739E-03	0.18702E-02	0.20331E-02	23.0
	8	0.69495E-01	-0.40338E-01	0.80354E-01	120.1
	9	-0.19185E-03	-0.45276E-02	0.45317E-02	182.4
	10	-0.18142E-03	0.80815E-02	0.80835E-02	358.7

MAX= 0.31838E 00 MIN=-0.68659E-01 PEAK TO PEAK/2= 0.19352E 00




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS017-6 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED	TP	1
OUT OF RANGE	CHAN	48
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.29439E 00	1	0.94051E-02	0.22912E-02	0.96802E-02	76.3
	2	0.44976E-02	-0.50040E-02	0.67282E-02	138.0
	3	0.16584E-02	-0.54961E-02	0.57408E-02	163.2
	4	0.33990E-01	-0.81186E-01	0.88015E-01	157.2
	5	0.29755E-02	-0.52002E-02	0.59913E-02	150.2
	6	-0.25565E-02	-0.15738E-02	0.30021E-02	238.3
	7	0.44273E-04	-0.20915E-02	0.20920E-02	178.7
	8	-0.12063E-01	-0.27154E-01	0.29712E-01	203.9
	9	-0.26701E-02	-0.10223E-02	0.28591E-02	249.0
	10	-0.37998E-03	0.11195E-02	0.11822E-02	341.2

MAX= 0.44396E 00 MIN= 0.22637E 00 PEAK TO PEAK/2= 0.10879E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS017.7 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 38  
BANDEdge 0

RUN 33  
TP 1  
CHAN 50

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.54963E 00	1	0.39612E-02	-0.29451E-03	0.39722E-02	94.2
	2	0.42682E-03	-0.28411E-02	0.28730E-02	171.4
	3	-0.62311E-04	0.37179E-04	0.72560E-04	300.8
	4	0.41825E-02	-0.20863E-01	0.21278E-01	168.6
	5	0.12647E-02	-0.24482E-02	0.27556E-02	152.6
	6	-0.222209E-02	0.68029E-03	0.23228E-02	287.0
	7	0.98307E-03	-0.61905E-03	0.11617E-02	122.1
	8	-0.22239E-02	-0.34641E-02	0.41165E-02	212.6
	9	-0.14454E-02	0.21747E-03	0.14617E-02	278.5
	10	-0.10765E-03	0.31253E-05	0.10769E-03	271.6

MAX= 0.58499E 00 MIN= 0.52896E 00 PEAK TO PEAK/2= 0.28016E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED	TP	
OUT OF RANGE	CHAN	55
BANDEdge		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.52259E-01	1	0.81413E-03	0.47161E-03	0.94086E-03	59.9
	2	0.21152E-02	0.13444E-02	0.25063E-02	57.5
	3	0.18031E-02	0.19316E-02	0.26424E-02	43.0
	4	-0.81809E-02	0.11169E-01	0.13844E-01	323.7
	5	-0.53046E-03	0.80663E-03	0.96542E-03	326.6
	6	0.40835E-03	0.11496E-02	0.12200E-02	19.5
	7	0.26049E-03	0.66581E-03	0.71495E-03	21.3
	8	-0.18993E-02	0.70184E-04	0.19006E-02	272.1
	9	0.28969E-03	-0.17256E-03	0.33719E-03	120.7
	10	0.11213E-03	-0.24883E-03	0.27293E-03	155.7

MAX=-0.30667E-01 MIN=-0.68192E-01 PEAK TO PEAK/2= 0.18762E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.2 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 33  
TP 1  
CHAN 59

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.54627E-02	1	0.26813E-02	0.26577E-02	0.37753E-02	45.2
	2	0.12490E-03	0.14283E-02	0.14337E-02	4.9
	3	0.10658E-02	-0.31667E-03	0.11118E-02	106.5
	4	0.25405E-02	0.29606E-03	0.25577E-02	83.3
	5	0.18440E-02	0.53944E-03	0.19213E-02	73.6
	6	0.20500E-02	0.47758E-03	0.21049E-02	76.8
	7	0.29169E-02	0.13069E-02	0.31963E-02	65.8
	8	0.23179E-02	0.30417E-02	0.38242E-02	37.3
	9	0.76651E-03	0.33275E-02	0.34146E-02	12.9
	10	0.11551E-04	0.27036E-02	0.27036E-02	0.2

MAX= 0.30260E-01 MIN=-0.82912E-02 PEAK TO PEAK/2= 0.19275E-01




UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS023.3 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

*** DATA ANALYSIS ***	RUN	33
ENTERED 38	TP	1
OUT OF RANGE 0	CHAN	62
BANDEDGE 0		

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.97422E-01	1	0.12221E-02	0.84079E-02	0.84962E-02	8.2
	2	0.26652E-02	-0.25177E-02	0.36663E-02	133.3
	3	0.98108E-03	0.20592E-03	0.10024E-02	78.1
	4	0.34604E-01	0.46607E-01	0.58049E-01	36.5
	5	-0.41637E-04	0.12557E-02	0.12564E-02	358.1
	6	0.51677E-03	0.56390E-02	0.56627E-02	5.2
	7	0.26191E-02	0.34713E-04	0.26193E-02	89.2
	8	0.26066E-01	0.68268E-02	0.26945E-01	75.3
	9	0.16211E-02	-0.16521E-02	0.23146E-02	135.5
	10	0.75937E-05	-0.48323E-02	0.48323E-02	179.9

MAX= 0.20747E 00 MIN= 0.32518E-01 PEAK TC PEAK/2= 0.87477E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.4 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 33  
TP 1  
CHAN 47

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.10707E 00	1	0.14323E-01	0.10561E-01	0.17796E-01	53.5
	2	0.39810E-02	-0.40390E-03	0.40824E-02	102.7
	3	0.30758E-02	-0.68825E-02	0.75385E-02	155.9
	4	0.87401E-01	-0.58609E-01	0.10523E 00	123.8
	5	0.69984E-02	-0.32188E-02	0.77031E-02	114.6
	6	-0.19906E-03	-0.59712E-02	0.59745E-02	181.9
	7	0.13196E-02	-0.34295E-02	0.36747E-02	158.9
	8	0.16970E-01	-0.39553E-01	0.43040E-01	156.7
	9	-0.10532E-02	-0.22311E-02	0.24672E-02	205.2
	10	0.19890E-03	0.43551E-02	0.43596E-02	2.6

MAX= 0.29518E 00 MIN= 0.19071E-01 PEAK TO PEAK/2= 0.13805E 00



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION


\*\*\* PS023.5 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEdge 0

RUN 33  
TP 1  
CHAN 49

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
-0.21210E 00	1	0.68802E-02	0.10081E-02	0.69536E-02	81.6
	2	0.98398E-03	-0.55811E-02	0.56672E-02	170.0
	3	-0.88425E-03	0.76629E-03	0.11700E-02	310.9
	4	-0.23557E-02	-0.28567E-01	0.28664E-01	184.7
	5	0.89569E-03	-0.37958E-02	0.39001E-02	166.7
	6	-0.17145E-02	0.96203E-03	0.19660E-02	299.2
	7	0.26004E-03	-0.38570E-03	0.46518E-03	146.0
	8	-0.34897E-02	-0.17370E-02	0.38981E-02	243.5
	9	-0.12552E-02	0.76742E-03	0.14712E-02	301.4
	10	0.42112E-03	0.66722E-03	0.78900E-03	32.2

MAX=-0.16461E 00 MIN=-0.24190E 00 PEAK TC PEAK/2= 0.38646E-01



UTTAS 1/5 TH SCALE MODEL FUSELAGE PRESSURES---FWD SECTION

\*\*\* PS026.1 WAVEFORM \*\*\*  
\*\*\* CYCLE 0 \*\*\*

\*\*\* DATA ANALYSIS \*\*\*  
ENTERED 38  
OUT OF RANGE 0  
BANDEDGE 0

RUN 33  
TP 1  
CHAN 53

STEADY	HARM	COS COEFF	SIN COEFF	RES	PHASE
0.11992E 00	1	0.10825E-02	-0.45020E-03	0.11724E-02	112.5
	2	-0.64677E-03	-0.11795E-02	0.13452E-02	208.7
	3	-0.11071E-02	0.29775E-02	0.31766E-02	339.6
	4	0.49878E-02	-0.57367E-02	0.76019E-02	138.9
	5	0.17333E-02	-0.26117E-02	0.31346E-02	146.4
	6	0.60182E-03	-0.21312E-02	0.22145E-02	164.2
	7	-0.96154E-04	-0.33155E-02	0.33169E-02	181.6
	8	0.14116E-03	-0.14046E-02	0.14117E-02	174.2
	9	-0.13033E-02	-0.68985E-03	0.14746E-02	242.1
	10	0.62185E-03	0.34286E-02	0.34846E-02	10.2

MAX= 0.13542E 00 MIN= 0.99196E-01 PEAK TC PEAK/2= 0.18116E-01

